




Your Road, Our Reliability.

AIR SPRING CATALOUGE

BELLOWS-SERVICE-COMPLETE
IMPERIAL-CONVOLUTED-CABIN






9

BELLOWS

31

SERVICE ASSEMBLY



82

**COMPLETE AIR
SPRING**

153


IMPERIAL ITEMS

202

**CONVOULTED AIR
SPRINGS**

241

CABIN AIR SPRINGS



Germec Europe

Global Leader in **Commercial Vehicle Spare Parts**

Why Germec?

. **Quality Without Compromise:** Every component undergoes 200+ rigorous tests to meet ISO 9001 and IATF 16949 certifications.

. **Future-Ready Innovation:** Our smart parts integrate IoT sensors for real-time diagnostics, reducing downtime by up to 30%.

. **Sustainability at Core:** 65% of our materials are recycled, and we offset 100% of our carbon footprint through reforestation partnerships.

We are not just a supplier- we're your partner in keeping the world moving.

germec

Your Road, Our Reliability.

germec.eu



IS
US
T
U
B
A

ROLLING LOBE AIR SPRING



With Conical Beads

Depending on their height, they achieve high strokes resulting in high comfort without a major change in diameter. This high stroke advantage of conical bead rolling lobe air springs enables the loading / unloading and assembling / disassembling operation easier for these vehicles.

The conical sealing surfaces of these springs make them to be reused when the air spring bellows are replaced.



With Clamping Beads

Rolling lobe air springs with clamping beads differ from the ones with conical beads by the method of fixing. The fixed connection prevents the air springs from being detached from the plate even under the excessive movement conditions.

Rolling lobe air springs with the clamping beads are supplied by Smarttech as a system i.e. the air spring bellows, plates and the internal bumper, where necessary assembled as a complete unit

WORKING CONDITION




All surfaces including the air spring and the installation area should be free from oil, petroleum and solvents.



There should be sufficient clearance around the air spring to prevent any contact.



Hydraulic and pneumatic line of the air supply systems should be leakproof.



All bolts should be tightened according to the required torque specifications.



Air pressure should not exceed 7 bar / 101 psi



Vehicle should be loaded as per factory specifications and loads should be properly secured.



Ambient temperature should be between -40 C to + 70 C



Air springs should be kept clean. Use water and soap for cleaning.

PRODUCT INFORMATION

TRUCK / TRAILER

Trucks of all types, particularly container vehicles and vehicles with interchangeable bodies, are fitted with air spring with great success, here there is a wide variety of possible uses on the front, rear and tag axle, as well on the leading axle in the of semi-trailer trucks.

Apart from low natural frequency wich protects the vehicles, load and road air-prings after the possibility of raising and lowering the vehicle body for loading and unloading.


BUSES

Buses benefit the advantages offered by air spring to achieve consistently high degrees of riding comfort and vehicle heights independent irrespective of load.

This application generally involves two airspring being fitted to the front axle and four to the rear axle in the buses.

In Europe and USA, all buses are fitted with air springs, whereas, in many other countries the usage of air suspension systems is increasing.

Airsprings are developed according to do specified conditions, such as load capacity characteristic and spring deflection. For commercial vehicle a distinction is made between basic types of air springs, namely rolling lobe air springs and convoluted.



THE COMPONENTS OF AIR SPRINGS

The Components of Air Springs

1.Stud: A conneting element that attaches the air spring to the chasis.

2.Combo Stud: Combination mounting air spring to the chasis and air fitting.

3.Blind Nut: A connecting element that attaches the air spring to the chasis and axle.

4.Air Fitting Hole: As well as connecting the air spring to the chasis, air fitting hole provides air entrance for the part.

5.Bead Plate: A metal part that connects the top side of the air spring to the chasis.


6.Bellows: The main part of an air spring that made of rubber, absorbs vibration by pressing air.

7.Bumper: A safety part that prevents damage of the top and bottom metal parts when the air spring suddenly explodes.

8.Piston: Connects the air spring to the axle; metal, plastic and aluminum versions are available and is set on the bottom of the air spring.

9.Piston Bolt: A connecting element that provides mounting of the piston to the rubber bellow.

10.Girdle Hoop: A made of steel - ring between the convolutions of the convoluted type air spring and serves as seperator.





BELLOWS

germec

Your Road, Our Reliability.

Order No

60010004


OEM References

Mercedes	A 383 327 00 01
Volvo	1 611 776
EvoBus	A 383 327 00 01
EvoBus	A 621 328 00 01
Magirus-Deutz	0249 1566
VDL BUS	0 627 584
Breda Menarini	178 623
Breda Menarini	325 993

Cross References

Contitech	673 N
Phoenix	1 F 21 A
Firestone	1R1A370-285
Firestone	W01-095-0198
Goodyear	9051
Goodyear	556-03-9051
Vibracoustic	V1F21A
CF Gomma	1SC285-22
CF Gomma	88786
Gart	D276/C
Gart	276.0.370
Blacktech	3673
Airtech	1673

Air Spring



Weight (Kg): 1,36 • QIP: 40

Order No

60010005


OEM References

Ikarus	B 510040
Bova	B 510040

Cross References

Contitech	701 N
Phoenix	1 E 26
Firestone	1R3M340-340
Firestone	W01-095-0205
Goodyear	9006
Goodyear	556-03-9006
Vibracoustic	V1E26
Blacktech	RL9812
Airtech	3701

Air Spring



Weight (Kg): 2,62 • QIP: 38

Order No

60010006


OEM References

Bova	B 234908
------	----------

Cross References

Contitech	702 N
Phoenix	1 E 26 A
Goodyear	9011
Goodyear	556-03-9011
Vibracoustic	V1E26A
Airtech	3159

Air Spring



Weight (Kg): 7,9 • QIP:

Weight (Kg): 1.88 QIP: 40Weight (Kg): 1,83 QIP: 54Weight (Kg): 1,72 QIP: 40

Order No 60010010


Air Spring

OEM References

Volvo	1 593 842
MAN	81.43601.0039
MAN	81.43601.0040

Cross References

Contitech	716 N
Phoenix	1 F 26 B-1
Firestone	1R2A450-305
Firestone	W01-095-0145
Goodyear	9073
Goodyear	556-03-9073
Vibracoustic	V1F26B-1
CF Gomma	1SC300-34
CF Gomma	92548
Blacktech	RL9827
Airtech	3716



Weight (Kg): 2,16 • QIP: 30

Order No 60010011


Air Spring

OEM References

DAF	0 818 225
BPW	02.200.24.00.0
Schmitz	750 215
Gigant	166205
Gigant	196036
Gigant	700166205
Gigant	700196036
Kässbohrer	4.731.032.000
Neoplan	1001 10 100
Neoplan	1021 00 200

Cross References

Contitech	719 N
Phoenix	1 F 32 B
Firestone	1R2D530-360
Firestone	W01-095-0192
Goodyear	8118
Goodyear	556-03-8118
Vibracoustic	V1F32B
CF Gomma	1SC360-43
CF Gomma	92593
Gart	C292/E
Gart	292.0.520
Blacktech	RL9820
Airtech	3719



Weight (Kg): 2,94 QIP: 18

Order No 60010012


Air Spring

OEM References

BPW	02.200.24.10.0
Mercedes	A 387 328 01 01
Volvo	1 590 136
Volvo	1 622 115
Volvo	1 629 193
MAN	81.43601.0033
MAN	81.43601.0036
MAN	81.43601.0037

Cross References

Contitech	720 N
Phoenix	1 F 21
Firestone	1R2A460-295
Firestone	W01-095-0195
Goodyear	9008
Goodyear	556-03-9008
Vibracoustic	V1F21
CF Gomma	1SC290-30
CF Gomma	88802
Gart	C299
Gart	299.0.450
Blacktech	RL9831
Airtech	3720



Weight (Kg): 1,54 QIP: 54

Weight (Kg): 2,58 **QIP:** 22

Weight (Kg): 2,52 **QIP: 22**

Weight (Kg): 1,94 **QIP:** 22

Weight (Kg): 1,88 **QIP: 40**

Weight (Kg): 1,52 **QIP: 48**

Weight (Kg): 1,55 **QIP: 48**

Weight (Kg): 3,52 QIP: 30

Weight (Kg): 1,62 **QIP: 40**

Weight (Kg): 1,82 **QIP:** 40

Weight (Kg): 2,48 **QIP: 18**

Weight (Kg): 2,13 QIP: 30

Weight (Kg): 2,24 QIP: 30



Your Road, Our Reliability.

Order No60010028

Air Spring

OEM References

MAN	81.43601.0065
MAN	81.43601.0067
MAN	81.43601.0070
MAN	81.43601.0092
MAN	81.43601.0099
MAN	81.43601.0103
MAN	81.43601.0121
MAN	81.43601.0132

Cross References

Contitech	882 N1
Phoenix	1 F 16
Firestone	1R4R465-260
Firestone	W01-095-0435
Goodyear	9048
Goodyear	556-03-9048
Vibracoustic	V1F16
CF Gomma	1SC250-28
CF Gomma	97042
Gart	C289/D
Gart	289.0.400
Blacktech	RL9993
Airtech	3882

Weight (Kg): 1,34

QIP: 44

Order No60010029

Air Spring

OEM References

MAN	81.43601.0066
MAN	81.43601.0068
MAN	81.43601.0069
MAN	81.43601.0108
IVECO	8188539
IVECO	5003 01452
IVECO	97108363
IRISBUS	5.000.301.452
IRISBUS	5.010.294.385

Cross References

Contitech	884 N
Phoenix	1 F 20 A
Goodyear	9002
Goodyear	556-03-9002
Vibracoustic	V1F20A
CF Gomma	1S270-25C, 1SC270-28
CF Gomma	97608, 97043
Gart	D290
Gart	290.0.420
Blacktech	RL9995
Airtech	3884

Weight (Kg): 2,26

QIP: 58

Order No60010030

Air Spring

OEM References

Volvo	1 082 085
MAN	81.43601.0071
MAN	81.43601.0072
MAN	81.43601.0110
MAN	81.43601.0128
MAN	81.43601.0137

Cross References

Contitech	883 N1
Phoenix	1 F 21 C-2
Goodyear	9012
Goodyear	556-03-9012
Vibracoustic	V1F21C-2
CF Gomma	1SC250-29
CF Gomma	204250
Blacktech	RL9994
Airtech	3883


Weight (Kg): 1,98


QIP: 40


Weight (Kg): 1,84 **QIP:** 50

Weight (Kg): 1,78 **QIP:** 40

Weight (Kg): 1,78 **QIP:** 54

Order No 60010034		Air Spring	
OEM References		Cross References	
IVECO	99459166	Contitech	921 N
EvoBus	A 000 328 00 01	Phoenix	1 E 17
Kässbohrer	4.771.503.000	Firestone	1R1A415-260
IRISBUS	5.000.288.982	Firestone	W01-095-0226
IRISBUS	5.010.151.378	Goodyear	8043
IRISBUS	5.010.151.379	Goodyear	556-03-8043
		Vibracoustic	V1E17
		CF Gomma	1S285-23V
		CF Gomma	202728
		Gart	D276/BS
		Gart	276.0.391
		Blacktech	RL9032
		Airtech	3921
			
		Weight (Kg): 1,88 QIP: 40	

Order No 60010035		Air Spring	
OEM References		Cross References	
Volvo	3 116 354	Contitech	927 N
Volvo	AAU 2542	Phoenix	2 E 18 B
		Firestone	1R1J415-285
		Firestone	W01-095-0244
		Goodyear	8037
		Goodyear	556-03-8037
		Vibracoustic	V2E18B
		Blacktech	RL9038
		Airtech	3927
			
		Weight (Kg): 1,34 QIP: 50	

Order No 60010036		Air Spring	
OEM References		Cross References	
Volvo	10 904 403	Contitech	928 N
Volvo	3 116 983	Phoenix	2 E 23 A
Volvo	AAU 2544	Firestone	1R1K380-320
IVECO	6453741	Firestone	W01-095-0228
		Goodyear	8042
		Goodyear	556-03-8042
		Vibracoustic	V2E23A
		Blacktech	RL9039
		Airtech	3928
			
		Weight (Kg): 1,62 QIP: 40	

Order No 60010037


Air Spring

OEM References

IVECO	6144040
IVECO	8160165
IVECO	6144040
Breda Menarini	S5001051

Cross References

Contitech	943 N
Firestone	1R1A260-285
Firestone	W01-095-0189
Goodyear	9001
Goodyear	556-03-9001
CF Gomma	1S285-18
CF Gomma	88809
Gart	D276/D
Gart	276.0.260
Blacktech	RL9054
Airtech	3943



Weight (Kg): 1,22 QIP: 60

Order No 60010038


Air Spring

OEM References

Scania	523229
IVECO	4714025
IVECO	4738008
IVECO	8188526
IVECO	4714025
IVECO	4722525
IVECO	5254025
IVECO	6657150

Cross References

Contitech	944 N
Phoenix	1 E 21-6
Firestone	1R1B390-270
Firestone	W01-095-0121
Goodyear	556-03-9009
Goodyear	V1E21-6
Vibracoustic	V1E19
CF Gomma	1S270-23C, 1S285-22
CF Gomma	97619, 88786
Gart	D290/B
Gart	290.0.390
Blacktech	RL9055
Airtech	3944



Weight (Kg): 1,44 QIP: 40

Order No 60010039


Air Spring

OEM References

IVECO	4716989
Breda Menarini	178 741

Cross References

Contitech	945 N
Phoenix	1 E 21 C
Firestone	1R1A460-290
Firestone	W01-095-0063
Goodyear	9014
Goodyear	556-03-9014
CF Gomma	1S285-25
CF Gomma	97555
Gart	D276
Gart	276.0.420
Blacktech	RL9056
Airtech	3945



Weight (Kg): 1,67 QIP: 40

[illegible]

Order No	60010041	Air Spring	
OEM References		Cross References	
IVECO	503130506	Contitech	1415 N
IVECO	299729	Phoenix	1 E 23 A
IRISBUS	5.001.021.414	Goodyear	9113
		Goodyear	556-03-9113
		Vibracoustic	V1E20A
		Blacktech	RL92526
		Airtech	31415

Technical drawing of an air spring showing dimensions: outer diameter Ø226, inner diameter Ø150.8, and height 320.

Weight (Kg): 1.35

OIP: 1

[illegible]

Weight (Kg): 2,16 QIP: 45

Weight (Kg): 2,38 **QIP:** 30

Weight (Kg): 1,50 **QIP:** 48

Weight (Kg): 2,58 **QIP:** 40

Weight (Kg): 1,98 **QIP: 40**

Weight (Kg): 1,64 **QIP:** 60



Your Road. Our Reliability.

Order No

60010049

Air Spring

OEM References

MAN

81.43601.0161

Cross References

Contitech

1886 N

Vibracoustic

V1F20A

Blacktech

RL92997

Airtech

31886

Weight (Kg): 2,23

QIP: 40

Order No

60010050

Air Spring

OEM References

MAN

81.43601.0163

Cross References

Contitech

1888 N

Phoenix

1 E 25 B

Goodyear

9123

Goodyear

556-03-9123

Blacktech

RL92999

Airtech

31888

Weight (Kg): 2,22

QIP: 45

Order No

60010051

Air Spring

OEM References

IVECO

503130533

IRISBUS

5.001.843.640

Cross References

Contitech

1924 N1

Phoenix

2 F 18

Vibracoustic

V1E20A

Gart

C298/E

Gart

289.0.360

Blacktech

RL92035

Airtech

31924

Weight (Kg): 1,22

QIP: 50



Your Road, Our Reliability.

Order No

60010052

Air Spring

OEM References

IVECO

4843255


Cross References

CF Gomma

1S 323-25

CF Gomma

96541



Weight (Kg): 2,16

QIP: 40

Order No

60010053

Air Spring

OEM References

Volvo

9522709


Volvo

20573305

Cross References

Airtech

36305



Weight (Kg): 1,9

QIP: 30

Order No

60010054

Air Spring

OEM References

IVECO

41006926

Cross References

CF Gomma


1SC 250-19

CF Gomma

201727

Airtech

319250



Weight (Kg): 1,14

QIP: 72

Weight (Kg): 1,3 **QIP:** 40

Weight (Kg): 1,42 QIP: 50

Weight (Kg): 1,48 **QIP:** 40

Weight (Kg): 1,96 QIP: 40

Weight (Kg): 1,84 QIP: 50

Weight (Kg): 1,78 QIP: 40



Your Road. Our Reliability.

Order No60010064

Air Spring


OEM References

Cross References

Contitech9081

Contitech556-03 -9081

Phoenix1 E 21 B



Weight (Kg): 2,57

QIP: 30

Order No60010065

Air Spring

OEM References

Volvo3 027 271

Cross References

ContitechRZ 415-25

Phoenix2 G 20

Firestone1R5P345-290

FirestoneW01-095-0381

Goodyear9004

Goodyear556-03-9004


VibracousticV2G20

CF Gomma1S280-25

CF Gomma203000

BlacktechRL9526-36

Airtech3415-25



Weight (Kg): 1,94

QIP: 45

Order No60010066

Air Spring

OEM References

Volvo3 027 272

Cross References

ContitechRZ 415-28

Phoenix2 G 20 A

Firestone1R5P410-290

FirestoneW01-095-0382

Goodyear9005

Goodyear556-03-9005


VibracousticV2G20A

CF Gomma1S280-28

CF Gomma203001

BlacktechRL9526-39

Airtech3415-28



Weight (Kg): 2,29


QIP: 40

OEM References

IVECO	93197594
EvoBus	A 356 327 00 01
EvoBus	A 356 327 02 01
EvoBus	A 613 327 01 01

Cross References

Contitech	RZ 450-25
Phoenix	1 E 23
Goodyear	9050
Goodyear	556-03-9050
Vibracoustic	V1E23
CF Gomma	1S300-27
CF Gomma	203386
Gart	RL9561-36
Airtech	3450-25



Weight (Kg): 1,63 QIP: 40

Order No

OEM References

Cross References

Air Spring

Order No

OEM References

Cross References

Air Spring



Your Road. Our Reliability.


Order No60020001

OEM References

Gigant	246169
Gigant	3053
Gigant	700246169

Cross References

Contitech	724 N P01
Goodyear	1R11-711
Goodyear	566-22-3-504
Blacktech	RML7835
Airtech	3724 P

Air Spring

Weight (Kg): 3,94 QIP: 28


Order No60020002

OEM References

Gigant	246149
Gigant	3653700246149

Cross References

Contitech	725 N P01
Goodyear	1R14-704
Goodyear	566-28-3-502
Vibracoustic	V1DF32-246149
CF Gomma	1TCS360-45
CF Gomma	202964
Gart	C292/S
Gart	292.0.533
Blacktech	RML7836
Airtech	3725 P

Air Spring

Weight (Kg): 5,28 QIP: 20


Order No60020003

OEM References

Gigant	246192
Gigant	3661
Gigant	700246192

Cross References

Contitech	726 N P01
Vibracoustic	V1DF32C-166253
Blacktech	RML7837

Air Spring

Weight (Kg): 2,30 QIP: 20



SERVICE ASSEMBLY

germec

Your Road, Our Reliability.

Weight (Kg): 4,94 **QIP:** 24

Weight (Kg): 4,82 **QIP: 36**

Weight (Kg): 4,26 **QIP:** 24



Your Road, Our Reliability.

Order No60020007

Air Spring

OEM References

Cross References

Weight (Kg): 5,52

QIP: 36

Order No60020008

Air Spring

OEM References

Cross References

DAF	0 067 452	Contitech	811 M16
ROR	21215633	Firestone	1T19L-11
ROR	21122239	Firestone	W01 M58 7370, W01 M58 6339
		Goodyear	1R14-721
		Airtech	3811-02 P

Weight (Kg): 6,54

QIP: 22

Order No60020009

Air Spring

OEM References

Cross References

Firestone	1T19L-11
Airtech	3811-04 P

Weight (Kg): 6,55

QIP: 22



Your Road. Our Reliability.

Order No 60020013



Air Spring

OEM References

DAF 0 513 985

Cross References

Contitech 836 MB
Phoenix 1 DF 25-4 NP
Firestone 1T17AR-4.5
Firestone W01-M58-0775
Goodyear 1R12-764
Vibracoustic V1DF25-4
Blacktech RML7947-1
Airtech 3836-01 P



Weight (Kg): 4,26 QIP: 54

Order No 60020014



Air Spring

OEM References

DAF 0 513 982

Cross References

Contitech 836 M2
Phoenix 1 DF 25-3 NP
Firestone 1T17AR-4.5
Firestone W01-D08-0777, W01-M58-0777
Goodyear 1R12-710
Goodyear 566-24-3-500
Vibracoustic V1DF25-3
Gart C302
Gart 302.0.376/2
Blacktech RML7947-2
Blacktech RML7947C7
Airtech 3836-02 P



Weight (Kg): 3,64 QIP: 72

Order No 60020015



Air Spring

OEM References

DAF 1 794 420

Cross References

Contitech 836 N P10 (without piston)
Phoenix 1 DF 23 A-4
Firestone 1T17AR-4.5
Firestone W01-M58-8368
Goodyear 1R12-849
Goodyear 566-24-3-548
Blacktech RML 7947 C10





Weight (Kg): 3,72 QIP: 30

Order No 60020016**Air Spring**

OEM References

Cross References



Weight (Kg): 4,32

QIP: 30



Order No 60020017**Air Spring**

OEM References

Cross References

BPW	05.429.40.01.0
Schmitz	750 228
Freightliner	338883

Contitech	881 MB
Phoenix	1 DK 32
Firestone	1T66D-10.8
Firestone	W01-M58-8978
Goodyear	1R14-708
Goodyear	566-28-3-501
Vibracoustic	V1DK32
CF Gomma	1TC360-45
CF Gomma	204530
Gart	C292
Gart	292.0.531
Blacktech	RML7992
Airtech	3881 P



Weight (Kg): 6,8

QIP: 20



Order No 60020018**Air Spring**

OEM References

Cross References

DAF	0 513 983
VDL BUS	0 513 983

Contitech	887 M
Firestone	1T15LNR-3
Firestone	W01-M58-0780
Goodyear	1R11-796
Goodyear	566-22-3-533
Blacktech	RML7998



Weight (Kg): 3,28



QIP: 54

Order No 60020019**Air Spring****OEM References**

DAF 1 276 846

Cross References

Contitech	889 M
Firestone	1T15LLR-5
Firestone	W01-M58-0781
Goodyear	1R11-842
Goodyear	566-22-3-551
Blacktech	RML7990





Weight (Kg): 3,62 QIP: 48

Order No 60020020**Air Spring****OEM References**

Renault	5.010.211.724
Renault	5.000.815.749

Cross References

Contitech	902 MB (Without Piston)
Firestone	W01-M58-9910
Blacktech	RML7013
Blacktech	RML79910
Airtech	3902





Weight (Kg): 5,10 QIP: 18

Order No 60020021**Air Spring****OEM References**

SAF	2.229.0005.00
SAF	3.229.0013.00
SAF	3.229.0006.01
Weweler	US 96681
Hendrickson	507782
Fruehauf	M060770

Cross References

Contitech 912 N P02 (without Piston)





Weight (Kg): 5,92 QIP: 22

Order No 60020022**Air Spring****OEM References**

BPW	05.429.40.91.0
Schmitz	013 769
Scania	2406164

Cross References

Contitech	940 MB
Phoenix	1 DK 21 K
Firestone	1T17D-4.3
Firestone	W01-M58-8613
Goodyear	1R11-703
Vibracoustic	V1DK21K
CF Gomma	1TC300-30
CF Gomma	205536
Gart	C293/A
Gart	293.0.411
Blacktech	RML7051
Airtech	3940 P





Weight (Kg): 4,34 QIP: 44

Order No 60020023**Air Spring****OEM References**

BPW	05.429.40.03.0
Schmitz	015 514

Cross References

Contitech	941 MB
Phoenix	1 DK 21
Firestone	1T17D-8.3
Firestone	W01-M58-8620
Goodyear	1R11-700
Goodyear	566-22-3-500
Vibracoustic	V1DK21
CF Gomma	1TC300-36
CF Gomma	204466
Gart	C293
Gart	293.0.511
Blacktech	RML7052
Airtech	3941 P





Weight (Kg): 4,74 QIP: 38

Order No 60020024**Air Spring****OEM References**

BPW	05.429.40.05.0
Schmitz	017 199

Cross References

Contitech	942 MB
Phoenix	1 DK 32 L
Firestone	1T66D-13.5
Firestone	W01-M58-8611
Goodyear	1R14-700
Goodyear	566-28-3-504
Vibracoustic	V1DK32L
Gart	C292/E
Gart	292.0.601
Blacktech	RML7053
Airtech	3942 P



Weight (Kg): 7,02 QIP: 20



Order No 60020025**Air Spring**

OEM References

BPW 05.429.40.72.0

Cross References

Contitech	951 MB
Firestone	1T17D-12
Firestone	W01-M58-8621
Goodyear	1R11-704
Goodyear	566-22-3-502
Gart	C293/B
Gart	293.0.611
Blacktech	RML7062
Airtech	3951 P





Weight (Kg): 5,4 • QIP: 22

Order No 60020026**Air Spring**

OEM References

Cross References

Contitech	ST 60020030.073
-----------	-----------------



Weight (Kg): 4,37 • QIP: 26



Order No 60020027**Air Spring**

OEM References

Kässbohrer	4.731.043.100.13
Kässbohrer	4.731.043.000


Cross References

Phoenix	1 DK 32 E-4
CF Gomma	1TC 360-50
Airtech	31324 P



Weight (Kg): 4,53 • QIP: 28

Cross References	
Phoenix	1 DK 22 E-11
Firestone	1T17B5-6
Firestone	W01-M58-8612
Goodyear	1R11-781
Goodyear	566-22-3-526
Vibraoustic	V1DK22E-10
CF Gomma	1T300-37
CF Gomma	206585
Gart	D278/S
Gart	278.1.455
Blacktech	RML75133CP4
Blacktech	RML75133CP5
Airtech	32619 P



Cross References	
Airtech	32725 P



Cross References	
Contitech	6700 N P02
Firestone	1T19LLJ-14
Firestone	W01-M58-8535
Firestone	W01-S05-9881
Goodyear	1R14-869
Goodyear	566-28-3-522
Airtech	34608 P



Order No 60020031



Air Spring

OEM References

SAF 4.284.3003.01

Cross References

Contitech 4004 N P02
Phoenix 1 DK 22 E-5 NP
Firestone 1T17BS-6
Firestone W01-M58-0919
Goodyear 1R11-705
Goodyear 566-22-3-503
Vibracoustic V1DK22E-5NP
CF Gomma 1T300-37
Gart D278/S
Gart 278.0.451
Blacktech RML75115
Airtech 34004 P



Weight (Kg): 4,96 QIP: 44

Order No 60020032



Air Spring

OEM References

SAF 3.229.007.00

Cross References

Contitech 4004 N P05 (Without Piston)
Airtech 34004-05 P



Weight (Kg): 5,12 QIP: 44

Order No 60020033



Air Spring

OEM References

Gigant 247104
Gigant 3042
Gigant 700247104

Cross References

Contitech 4007 N P01
Vibracoustic V1DF21A-247104
Blacktech RML73042
Airtech 34007 P





Weight (Kg): 3,92 QIP: 42

Order No 60020034**Air Spring****OEM References**

Gigant	0166291
Gigant	3042

Cross References

Contitech	4007 N P01
Airtech	34007 P





Weight (Kg): 3,66 QIP: 42

Order No 60020035**Air Spring****OEM References**

SAF	4.284.3006.00
-----	---------------

Cross References



Contitech	4022 N P02
Phoenix	1 DK 22 E-9 NP
Firestone	1T17BS-6
Firestone	W01-M58-0756
Goodyear	D278/S
Goodyear	278.0.452
Vibracoustic	V1DK22E-9 NP
Gart	D278/S
Gart	278.0.452
Blacktech	RML75133
Airtech	34022-01 P



Weight (Kg): 4,95 QIP: 44

Order No 60020036**Air Spring****OEM References****Cross References**

Contitech	4022 N P05 (without piston)
Phoenix	1 DK 22 E-11
Firestone	1T17BS-6
Firestone	W01-M58-8612
Goodyear	1R11-781
Goodyear	566-22-3-526
Vibracoustic	V 1 DK 22 E-10
CF Gomma	1T300-37 / 206585
Gart	278.1.455 / D278/S
Blacktech	RML 75133 CP5
Airtech	32619 P



Weight (Kg): 4,95 QIP: 44



Your Road, Our Reliability.

Order No

60020037

Air Spring

OEM References

SAF3.229.031.00

SAF2923 V Service Assembly

Cross References

Contitech4023 N P06

Phoenix1 D 28 B-10 NP

Firestone1T19L-11

FirestoneW01-M58-6335

CF Gomma1T19E-2

BlacktechRML75134

Airtech34023 P

Weight (Kg): 4,42

QIP: 24

Order No

60020038

Air Spring

OEM References

Schmitz015 323

WewelerUS 04028

WABCO951 814 782 0

Cross References

Contitech4028 N P02

Airtech34028 P

Weight (Kg): 4,72

QIP: 24

Order No

60020039

Air Spring

OEM References

ROR2122239

Cross References

Contitech4028 NP05 (Without Piston)

Airtech34028-05 P

Weight (Kg): 4,75

QIP: 24



Your Road. Our Reliability.

Order No60020040

OEM References

Renault	5010239252
Renault	5010488071
Renault	5010294252B

Cross References

Contitech	4154 N P05
Phoenix	1 DK 23 F-1
Airtech	34154 P

Weight (Kg): 4,86 QIP: 45

Order No60020041

OEM References

Firestone	1T15M-4
Firestone	W01-358-9010
Airtech	34154-01 P

Cross References

Weight (Kg): 4,98 QIP: 26

Order No60020042

OEM References

Phoenix	1 DK23H-0742
Airtech	34154-04 P

Cross References

Weight (Kg): 4,91 QIP: 45



Your Road. Our Reliability.

Order No

60020043

Air Spring

OEM References

Weweler

US35864F

ROR

2121 5762

Cross References

Contitech

4156 N P05

Firestone

1T15M-6

Firestone

W01-358-0734

Goodyear

1R12-842

Goodyear

566-24-3-502

Gart

D278/G

Gart

278.0.421


Blacktech

RML75267-5

Airtech

34156 P





Weight (Kg): 4,57

QIP: 45

Order No

60020044

Air Spring

OEM References

Firestone

1T15M-6

Firestone

W01-095-0291

Goodyear

8662

Goodyear

095.0316

Airtech

34156-16 P

Cross References

Firestone

1T15M-6

Firestone

W01-095-0291

Goodyear


8662


Goodyear

095.0316

Airtech

34156-16 P





Weight (Kg): 4,78

QIP: 45

Order No

60020045

Air Spring

OEM References

Contitech

4157 N P03 (Without Piston)

Goodyear

1R11-881

Goodyear

566-22-3-521

Cross References

Contitech


4157 N P03 (Without Piston)


Goodyear

1R11-881

Goodyear

566-22-3-521





Weight (Kg): 5,08

QIP: 38

Weight (Kg): 4,42 **QIP:** 24

Weight (Kg): 4,72 **QIP: 24**



Weight (Kg): 4,75 QIP: 24

Order No 60020049**Air Spring****OEM References**

Fruehauf UJB 0975
SAE-SMB M060924

Cross References



Contitech 4157 N P10 (Without Piston)



Weight (Kg): 5,17 QIP: 38

Order No 60020050**Air Spring****OEM References****Cross References**

Contitech 4158 N P02
Phoenix 1 DK 20 B-1 NP
Firestone 1T15MPW-9
Firestone W01-M58-6257
Goodyear 1R12-748
Goodyear 566-24-3-510
Vibracoustic V1DK20B-1 NP
Gart D278/HS
Gart 278.0.531
Blacktech RML75269
Blacktech RML75296
Airtech 34158 P




Weight (Kg): 4,9 QIP: 38

Order No 60020051**Air Spring****OEM References**

VIBERTI 128 147 109
WABCO 951 811 003 0

Cross References

Contitech 4159 N P05 (Without Piston)
Phoenix 1 DK 21 B-5 NP
Firestone 1T15M-9
Firestone W01-M58-0736
Goodyear 1R12-761
Goodyear 566-24-3-501
Vibracoustic V1DK21B-5
CF Gomma 1T323-40
Gart D278/H
Gart 278.0.551
Blacktech RML75260-5
Airtech 34159 P




Weight (Kg): 4,9 QIP: 38

Order No 60020052**Air Spring**

OEM References

Cross References

Contitech 4159 N P03 (Without Piston)
Goodyear 1R12-701



Weight (Kg): 5,13 QIP: 30



Order No 60020053**Air Spring**

OEM References

Cross References

Mercedes A 942 320 22 21
Mercedes A 942 320 68 21

Contitech 4183 N2
Contitech 4183 N3
Airtech 34183-23



Weight (Kg): 3,24 QIP: 33



Order No 60020054**Air Spring**

OEM References

Cross References

Mercedes A 942 320 23 21
Mercedes A 942 320 69 21

Contitech 4183 N P26
Contitech 4183 N P24 (Without Piston)
Contitech 4183 N1
Airtech 34183-24 P



Weight (Kg): 3,52 QIP: 33

Weight (Kg): 3,24 **QIP:** 33

Weight (Kg): 6,43 **QIP:** 22

Weight (Kg): 3,74 **QIP:** 45



Your Road, Our Reliability.

Order No60020058

OEM References

Mercedes	A 942 320 27 21
Mercedes	A 942 320 73 21
Mercedes	A 942 320 19 21
Mercedes	A 942 320 07 57

Cross References

Contitech	4187 N1
Contitech	4187 N3

Weight (Kg): 3,34 QIP: 33

Order No60020059

OEM References

Mercedes	A 942 320 27 21
Mercedes	A 942 320 73 21
Mercedes	A 942 320 19 21
Mercedes	A 942 320 07 57

Cross References

Contitech	4187 N4
Contitech	4187 N6

Weight (Kg): 3,33 QIP: 33

Order No60020060

OEM References

Mercedes	A 942 328 00 01
----------	-----------------

Cross References

Contitech	4390 N1
Phoenix	1 KF 21-1 NP
Firestone	1R7Z-440-290-B
Firestone	W01-M58-0904
Goodyear	9507
Goodyear	556-03-9047
Vibracoustic	V1KF21-1 NP
CF Gomma	1VSC285-30
CF Gomma	206782
Gart	C304
Gart	304.0.440
Blacktech	RML95401-1
Airtech	34390-01 P
Airtech	34390-21 P



Weight (Kg): 2,22 QIP: 54

Order No 60020061**Air Spring****OEM References**

Mercedes A 942 328 01 01

Cross References

Contitech	4390 N2
Phoenix	1 KF 21-2 NP
Firestone	1R7Z-440-290-C
Firestone	W01-M58-0905
Goodyear	9508
Goodyear	556-03-9047
Vibracoustic	V1KF21-2 NP
CF Gomma	1VSC285-30
CF Gomma	206784
Gart	C304
Gart	304.0.441
Blacktech	RML95401-2
Blacktech	RML95401-3
Airtech	34390-02 P
Airtech	34390-22 P





Weight (Kg): 2,38 QIP: 54

Order No 60020062**Air Spring****OEM References**

Mercedes A 942 328 06 01

Cross References

Contitech	4391 N1
Blacktech	RML95402-1
Airtech	34391-01 P
Airtech	34391-21 P





Weight (Kg): 2,18 QIP: 72

Order No 60020063**Air Spring****OEM References**

Mercedes A 942 328 07 01

Cross References

Contitech	4391 N2
Blacktech	RML95402-2
Airtech	34391-02 P




Weight (Kg): 2,35 QIP: 72

Order No 60020064**Air Spring****OEM References**

Volvo	1 076 075
Volvo	1 076 076
Volvo	20 554 756

Cross References



Contitech	4420 N P01 (Without Piston)
Airtech	36075 P



Weight (Kg): 4,96 QIP: 48

Order No 60020065**Air Spring****OEM References**

Volvo	20424543
-------	----------

Cross References



Weight (Kg): 4,26 QIP: 30

Order No 60020066**Air Spring****OEM References**

Volvo	22 058 737
Volvo	21 224 745

Cross References

Contitech	4560 N P02 (Without Piston)
-----------	-----------------------------



Weight (Kg): 3,54 QIP: 45



Order No	60020069	Air Spring
OEM References	Cross References	
MAN 81.43601.0155	Contitech Goodyear Goodyear Gart Gart Blacktech Airtech	4705 N1 P01 1R12-831 566-24-3-543 C302/B 302.0.521 RML75816-1 34705 P
		The technical drawing shows two views of an air spring. The left view is a side profile showing an elongated, rounded rectangular shape with a height dimension of 840 mm. The bottom width is labeled as Ø150.8. The right view is a top-down circular cross-section with an outer diameter of Ø258. It features two mounting holes: one labeled M12x1.5 6H at a distance of 35 from the center, and another labeled M16x1.5 6H at a distance of 60 from the center along the horizontal axis. A vertical dimension of 84 is also shown.
		Weight (Kg): 4,96 QIP: 42

Order No 60020070**Air Spring****OEM References**

Volvo 1 076 595

Cross References

Contitech	4713 N P04
Phoenix	1 DF 22 C-1 NP
Goodyear	1R12-763
Goodyear	566-24-3-513
CF Gomma	1TS300-28
Gart	C293/V
Gart	293.0.461
Blacktech	RML75824
Airtech	34713 P





Weight (Kg): 4,62 QIP: 44

Order No 60020071**Air Spring****OEM References**

Volvo 1 079 718

Cross References

Contitech	4718 N P02
Goodyear	1R12-841
Goodyear	566-24-3-537
Gart	D278/V
Gart	278.0.471
Blacktech	RML75829
Airtech	34718 P



Weight (Kg): 4,66 QIP: 28



Order No 60020072**Air Spring****OEM References**

Mercedes A 942 320 37 21

Mercedes A 946 320 03 21

Cross References

Contitech	4737 N
Blacktech	RML95848-1
Airtech	34737-01 P





Weight (Kg): 3,22 QIP: 26

Order No 60020070**Air Spring****OEM References**

Volvo 1 076 595

Cross References

Contitech	4713 N P04
Phoenix	1 DF 22 C-1 NP
Goodyear	1R12-763
Goodyear	566-24-3-513
CF Gomma	1TS300-28
Gart	C293/V
Gart	293.0.461
Blacktech	RML75824
Airtech	34713 P





Weight (Kg): 4,62 QIP: 44

Order No 60020071**Air Spring****OEM References**

Volvo 1 079 718

Cross References

Contitech	4718 N P02
Goodyear	1R12-841
Goodyear	566-24-3-537
Gart	D278/V
Gart	278.0.471
Blacktech	RML75829
Airtech	34718 P



Weight (Kg): 4,66 QIP: 28



Order No 60020072**Air Spring****OEM References**

Mercedes A 942 320 37 21

Mercedes A 946 320 03 21

Cross References

Contitech	4737 N
Blacktech	RML95848-1
Airtech	34737-01 P





Weight (Kg): 3,22 QIP: 26

Order No 60020076**Air Spring****OEM References**

Mercedes A 942 327 04 01

Cross References

Contitech	4759 N
Blacktech	RML95860
Airtech	34759-01 P
Airtech	34759-21 P



Weight (Kg): 2,20 QIP: 26



Order No 60020077**Air Spring****OEM References**

Mercedes A 942 320 45 21

Mercedes A 974 320 01 17

Cross References



Contitech	4786 N P21 (without piston)
Airtech	34786-21C (without piston)



Weight (Kg): 1,84 QIP: 75

Order No 60020078**Air Spring****OEM References****Cross References**

Contitech	4810 N P05 (Without Piston)
Phoenix	1 D 28 A-10
Firestone	1T19L-7
Firestone	W01-M58-6338
Goodyear	1R14-730
Goodyear	566-28-3-548
Vibracoustic	V1D28A-10
CF Gomma	1T19E-2, 1T19E-1
CF Gomma	207732, 205456
Gart	D277/B, D277
Gart	277.4.423, 277.4.505/1
Blacktech	RML75921
Airtech	32918




Weight (Kg): 4,36 QIP: 24

Order No 60020079**Air Spring****OEM References**

ROR	1107674
ROR	1314906
ROR	1865755
ROR	255293
ROR	298568
ROR	325748

Cross References

Contitech	4813 N P07 (Without Piston)
Phoenix	1 D 28 B-9
Firestone	1T19L-11
Firestone	W01-M58-7358
Goodyear	1R14-727, 1R14-838
Goodyear	566-28-3-547
Vibracoustic	V1D28B-9
CF Gomma	1T19E-2BR
CF Gomma	97764
Gart	D287
Gart	287.4.520
Blacktech	RML75924C
Airtech	34813 P



Weight (Kg): 5,26


QIP: 24

Order No 60020080**Air Spring****OEM References**

Mercedes	A 946 328 00 01
----------	-----------------

Cross References

Contitech	4838 N
Firestone	1R7Z-595-330-A
Firestone	W01-M58-0912
Goodyear	9560
Vibracoustic	V1KF25-1-230 NP
Blacktech	RML95949
Airtech	34838 P



Weight (Kg): 2,88


QIP: 36

Order No 60020082**Air Spring****OEM References**

BPW	05.429.41.01.0
Schmitz	750 570

Cross References

Contitech	4881 N P02
Phoenix	1 DK 32 K
Firestone	1T66D-7
Firestone	W01-M58-8601
Goodyear	1R14-701
Goodyear	566-28-3-505
Vibracoustic	V1DK32K
CF Gomma	1TC360-40
CF Gomma	205537
Gart	C292/A
Gart	292.0.461
Blacktech	RML75992
Airtech	34881 P



Weight (Kg): 6,24



QIP: 20

Order No 60020086**Air Spring****OEM References**

MAN 81.43600.6041

Cross References

Contitech 4884 N1 P02 (without piston)



Weight (Kg): 4,72

QIP: 26

Order No 60020087**Air Spring****OEM References**

MAN 81.43601.0160

MAN 81.43601.6071

Cross References

Contitech 4885 N1 P01

CF Gomma 1TS260-20



CF Gomma 207762

Gart C289/M1

Gart 289.0.411

Blacktech RML75996

Airtech 34885 P



Weight (Kg): 3,94

QIP: 30



Order No 60020088**Air Spring****OEM References**

MAN 81.43601.0165

Cross References

Contitech 4886 N P02

Airtech 34886



Weight (Kg): 6,45

QIP: 22

Order No	60020091	Air Spring	
OEM References		Cross References	
Renault	5.001.832.067	Contitech	4912 N P08
		Firestone	1T19LL-14
		Firestone	W01-M58-5522
		Goodyear	1R13-713
		Goodyear	566-26-3-502
		CF Gomma	1T19E-4
		CF Gomma	206780
		Gart	D287/C
		Gart	287.0.601
		Blacktech	RML75023
		Airtech	34912 P

Technical drawing of an air spring. The side view shows a cylindrical body with a height of 600 mm and a top diameter of Ø265 mm. The top view shows a circular cross-section with an outer diameter of Ø286 mm and an inner diameter of Ø11.9 mm. The top view also shows a central hole with a diameter of Ø24 mm and a depth of 60 mm. The bottom view shows a central hole with a diameter of Ø11.9 mm and a depth of 60 mm. The top view also shows a central hole with a diameter of Ø11.9 mm and a depth of 60 mm. The bottom view shows a central hole with a diameter of Ø11.9 mm and a depth of 60 mm.

Weight (Kg): 6,86

QIP: 27

Order No 60020092


Air Spring

OEM References

Renault	5.010.557.355
Renault	7.422.025.556
Volvo	20 722 412
Volvo	22 025 568

Cross References

Contitech	4912 N P10
Airtech	34912-10 P



Weight (Kg): 6,92 QIP: 27

Order No 60020093


Air Spring

OEM References

Scania	1379393
--------	---------

Cross References

Contitech	4913 N P04
Phoenix	1 D 28 H-16 NP
Firestone	1T19L-14
Firestone	W01-095-0365
Goodyear	1R14-755
Goodyear	566-28-3-522
Gart	C282/H, D287/H
Gart	282.0.601, 287.0.603
Blacktech	RML75024
Airtech	34914 P



Weight (Kg): 5,58 QIP: 30

Order No 60020094


Air Spring

OEM References

Renault	5.001.855.856
---------	---------------

Cross References

Contitech	4915 N P03
Gart	C294/C
Gart	294.0.531
Airtech	34915 P




Weight (Kg): 5,18 QIP: 39

Order No 60020095**Air Spring****OEM References**

Volvo	1 075 365
Volvo	1 629 782
Volvo	20 452 138
Volvo	20 554 761

Cross References

Contitech	6609 N P01 (Without Piston)
Airtech	34925 P




Weight (Kg): 4,03 QIP: 26

Order No 60020096**Air Spring****OEM References**

Neway	90557009
-------	----------

Cross References

Contitech	4929 N P01 RT
Airtech	34929 P




Weight (Kg): 3,18 QIP: 42

Order No 60020097**Air Spring****OEM References**

Scania	1434930
Scania	1932592

Cross References

Firestone	1T15UR-9
Firestone	W01-M58-8653 (without piston)
Gart	C295/SC
Gart	295.1.475/1
Airtech	34930 P



Weight (Kg): 3,46 QIP: 30



Your Road. Our Reliability.

Order No

60020098

OEM References

Scania1434933

Cross References

Firestone1T28HR-8

FirestoneW01-M58-8633

Airtech34933 P

Air Spring

Side view dimensions: $\varnothing 265$, 465, 150.8

Top view dimensions: $\varnothing 258$, 139, 60.5, 47.5, 8, 13, 61.5, 153.5, $\varnothing 12$, $\varnothing 11.9$, M16x1.5 6H

Weight (Kg): 4,32 QIP: 26

Order No

60020099

OEM References

BPW05.429.41.56.0

Cross References

Contitech4940 N P02

Goodyear1R11-799

Goodyear566-22-3-501

GartC293/A

Gart293.0.413

BlacktechRML75051

Airtech34940 P

Air Spring

Side view dimensions: $\varnothing 248$, 423, 40, 31, M16x2 6G

Top view dimensions: $\varnothing 259$, 170, M18x1.5 6E, M12x1.75 6G

Weight (Kg): 5,22 QIP: 38

Order No

60020100

OEM References

BPW05.429.41.25.0

Cross References

Contitech4941 N P02

Goodyear1R11-802

Goodyear566-22-3-500

GartC293

Gart293.0.513

BlacktechRML75052

Airtech34941 P

Air Spring

Side view dimensions: $\varnothing 248$, 523, 40, 31, M16x2 6G

Top view dimensions: $\varnothing 258$, 170, M18x1.5 6E, M12x1.75 6G



Weight (Kg): 5,42 QIP: 30

Order No 60020101**Air Spring****OEM References**

BPW 05.429.41.77.0

Cross References

Contitech	4960 N P02
Phoenix	1 DK 21 K-3
Firestone	1T17J-6.8
Firestone	W01-M58-9704
Goodyear	1R11-801
Goodyear	566-22-3-501
Vibracoustic	V1DK21K-3
CF Gomma	1TC300-30K
CF Gomma	207711
Gart	C292/A
Gart	293.0.412
Blacktech	RML75071
Airtech	34960 P



Weight (Kg): 4,72 QIP: 44

Order No 60020102**Air Spring****OEM References**



BPW 05.429.42.04.0

Schmitz 751 345

Scania 2198369

Cross References

Contitech	4961 N P02
Goodyear	1R11-800
Goodyear	566-22-3-501
Gart	C293/A
Gart	293.0.414
Blacktech	RML75072
Airtech	34961 P



Weight (Kg): 4,56 QIP: 38



Order No 60020103**Air Spring****OEM References**

BPW 05.429.42.03.0

Schmitz 017 228

Cross References

Contitech	4962 N P02
Goodyear	1R11-803
Goodyear	566-22-3-500
Gart	C293
Gart	293.0.514
Blacktech	RML75073



Weight (Kg): 4,45 QIP: 26



Your Road. Our Reliability.

Order No

60020107

OEM References

BPW

A 960 320 12 57

BPW

A 960 320 62 57

Cross References

Contitech

6121 N P44 (without piston)

Ø200

15

25

465

Ø130.8

Ø228

65

65

Ø5

M22x1.5 6H

Weight (Kg): 3,52

QIP: 55

Order No

60020108

OEM References

BPW

A 960 320 00 57

BPW

A 960 320 70 21

Cross References

Contitech

6122 N P46 (without piston)

Ø225

15

25

498

Ø32

Ø130.8

Ø259

45

90

Ø5

M22x1.5 6H

Weight (Kg): 3,68

QIP: 50

Order No

60020109

OEM References

BPW

A 960 320 00 57

BPW

A 960 320 70 21

Cross References

Contitech

6122 N P47 (without piston)

Ø225

50

15

25

498

Ø32

Ø130.8

Ø259

90

90

45

Ø5

M16x1.5 6H

M22x1.5 6H

Weight (Kg): 3,74

QIP: 30



Your Road. Our Reliability.

Order No

60020104

OEM References

BPW05.429.42.54.0 (30)

Cross References

Contitech4963 N P01

GartC293

Gart293.0.512

Airtech34963 P

Air Spring

Weight (Kg): 5,24

QIP: 26

Order No

60020105

OEM References

BPW960 320 17 57

Cross References

Contitech6120 N P49 (without piston)

Air Spring

Weight (Kg): 4,7

QIP: 38

Order No

60020106

OEM References

BPWA 960 320 13 57

Cross References

Contitech6120 N P48 (without piston)

Air Spring

Weight (Kg): 4,23

QIP: 38



Your Road, Our Reliability.

Order No60020110

OEM References
BPW A 960 320 06 57

Cross References
Contitech 6123 N P40 (without piston)

Air Spring
Weight (Kg): 3,57 QIP: 40

Order No60020111

OEM References
BPW A 960 320 02 21

Cross References
Contitech 6126 N P40 (without piston)

Air Spring
Weight (Kg): 3,58 QIP: 48

Order No60020112

OEM References
BPW A 960 320 01 21

Cross References
Contitech 6126 N P41 (without piston)

Air Spring
Weight (Kg): 3,66 QIP: 48



Your Road, Our Reliability.

Order No

60020113

OEM References

Scania1386198

Cross References

Airtech36198 P

Air Spring

Weight (Kg): 3,41 QIP: 26

Order No

60020114

OEM References

Scania1386199

Cross References

Phoenix1 DF 23 C-1
Airtech36199 P

Air Spring

Weight (Kg): 3,96 QIP: 26

Order No

60020115

OEM References

Scania1386200

Cross References

Phoenix1 DF 23 D-1
Airtech36200 P

Air Spring



Weight (Kg): 4,46 QIP: 36

Order No 60020116**Air Spring****OEM References**

Scania	1402423
Scania	1314903
Granning	15619
WABCO	951 811 008 0

Cross References

Firestone	W01-M58-6251 (Without Piston)
Goodyear	1R11-826
Airtech	36251





Weight (Kg): 4,36 QIP: 60

Order No 60020117**Air Spring****OEM References**

Schmitz	016 512
Weweler	US 06318F

Cross References

Firestone	1T15MPW-9
Firestone	W01-M58-6318
Airtech	36318 P





Weight (Kg): 4,94 QIP: 39

Order No 60020118**Air Spring****OEM References**

Volvo	1 075 891
Volvo	1 076 416
Volvo	20 374 510
Volvo	20 456 152
Volvo	20 531 985
Volvo	20 582 215
Volvo	70 321 693

Cross References

Contitech	6608 N P01 (Without Piston)
Phoenix	1 DF 17 B-1
Firestone	1T15UR-9
Firestone	W01-M58-8474
Goodyear	1R10-704
Goodyear	D10B01
Gart	C295V
Gart	295.1.465
Airtech	36416 C





Weight (Kg): 3,88 QIP: 36

Order No 60020119**Air Spring****OEM References**

Volvo	1 076 418
Volvo	20 374 511
Volvo	20 456 156
Volvo	20 531 987
Volvo	20 582 214
Volvo	3 171 695
Volvo	70 321 695
Volvo	21 961 451

Cross References

Contitech	6607 N P01
Phoenix	1 DF 17 A-1
Firestone	1T15UR-6
Firestone	W01-M58-8473
Goodyear	1R10-707
Goodyear	566-20-3-507
Vibracoustic	V1DF16C-1
Gart	C294/VA
Gart	295.1.400
Blacktech	RML77529C
Airtech	36418 C





Weight (Kg): 3,88 QIP: 48

Order No 60020120**Air Spring****OEM References**

Volvo	1076420
Volvo	20 531 988
Volvo	20 582 212
Volvo	21 961 447
Volvo	20 427 805
Volvo	20 427 804
Volvo	20 456 158
Volvo	20 427 802
Volvo	20 375 228
Volvo	1 076 417

Cross References

Contitech	6606 N P02 (Without Piston)
Firestone	1T15LNR-3.0
Firestone	W01-M58-8690
Blacktech	RML76420C
Airtech	36420-01





Weight (Kg): 3,74 QIP: 30

Order No 60020121**Air Spring****OEM References**

Volvo	20 480 202
Volvo	21 041 697
Volvo	20 573 113

Cross References

Contitech	6602 N P01 (Without Piston)
Airtech	36113 P





Weight (Kg): 3,45 QIP: 27

Order No 60020122**Air Spring****OEM References**

Volvo	20 573 312
Volvo	3 171 693
Volvo	3 178 706
Volvo	3 195 240

Cross References

Contitech	6603 N P01 (Without Piston)
Goodyear	1R11-893
Goodyear	566-22-3-578
Blacktech	RML73312
Airtech	36312





Weight (Kg): 5,17 QIP: 26

Order No 60020123**Air Spring****OEM References**

Volvo	20 573 108
Volvo	70 321 692
Volvo	70 321 690
Volvo	70 376 919

Cross References

Contitech	6604 N P01 (without piston)
Airtech	36108





Weight (Kg): 3,60 QIP: 30

Order No 60020124**Air Spring****OEM References**

Volvo	20 554 760
Volvo	20 452 136

Cross References

Airtech	36760 P
---------	---------



Weight (Kg): 4,92 QIP: 45



Your Road, Our Reliability.

Order No60020125

OEM References

Volvo	20 554 762
Volvo	21 811 323
Volvo	21 961 475
Volvo	20 452 144

Cross References

Contitech	6613 N P01
Contitech	54762 M (Without Piston)
Blacktech	RML74762
Airtech	36762 P

Air Spring

Weight (Kg): 3,89 QIP: 38

Order No60020126

OEM References

Volvo	20 554 772
-------	------------

Cross References

Airtech	36772 P
---------	---------

Air Spring

Weight (Kg): 4,35 QIP: 38

Order No60020127

OEM References

IVECO	99458557
IVECO	99458557
IVECO	99458555
Neway	MO557019/030
Neway	MO557020/031

Cross References

Firestone	1T15AAA-6
Firestone	W01-MS87313
Airtech	37313 P

Air Spring

Weight (Kg): 2,55 QIP: 30



Your Road. Our Reliability.

Order No 60020128



Air Spring

OEM References

Renault	7.422.071.638
Volvo	1 075 890
Volvo	1 076 415
Volvo	20 375 226
Volvo	20 427 800
Volvo	20 456 150
Volvo	20 531 984
Volvo	20 582 206
Volvo	21 961 374
Volvo	20 427 803

Cross References

Contitech	6605 N P01 (Without Piston)
Phoenix	1 DF 20 D-1
Firestone	1T15LNR-6
Firestone	W01-M58-8472
Goodyear	1R11-805
Goodyear	566-22-3-535
Vibracoustic	V1DF20B-1
Gart	C294/V
Gart	294.1.430
Blacktech	RML78914C
Airtech	37803 S



Weight (Kg): 3,78 QIP: 36

Order No 60020129



Air Spring

OEM References

Volvo	20 375 227
Volvo	20 456 154
Volvo	20 531 986
Volvo	20 582 209
Volvo	3 171 694
Volvo	70 321 694
Volvo	20 427 801
Volvo	21 961 443
Volvo	20 427 805
Volvo	20 427 804

Cross References

Contitech	6606 N P01 (Without Piston)
Phoenix	1 DF 20 E-1
Firestone	1T15LNR-3
Firestone	W01-M58-8477
Goodyear	1R11-848
Goodyear	566-22-3-553
Vibracoustic	V1DF20A-1
Gart	C294/VA
Gart	294.1.370
Blacktech	RML77804C
Airtech	37804 P



Weight (Kg): 3,84 QIP: 45

Order No 60020130



Air Spring

OEM References

Volvo	20 427 802
Volvo	20 456 158
Volvo	20 456 158
Volvo	20 531 988

Cross References

Contitech	7802 M (without piston)
Airtech	37805 C (without piston)



Weight (Kg): 3,68 QIP: 30

Weight (Kg): 4,51 **QIP:** 38

Weight (Kg): 3,56 **QIP:** 30



Weight (Kg): 5,36 **QIP:** 38

Order No 60020134**Air Spring****OEM References**

IVECO 41270466

Cross References

Firestone 1T 15 LNR 4.5
 Firestone W01 M58 8660 (without piston)





Weight (Kg): 5,12 QIP: 57

Order No 60020135**Air Spring****OEM References**

IVECO 41270465

Cross References

Firestone 1 T 15 LNR 4.5
 Firestone W01 M58 8661 (without piston)



Weight (Kg): 5,18 QIP: 48

Order No 60020136**Air Spring****OEM References**

IVECO 41270463



IVECO 41031243

IVECO 41214058

IVECO 41214814

Cross References

Firestone 1 T 15 LNR 4.5
 Firestone W01 M58 8662 (without piston)
 Airtech 36687 CPP (without piston)



Weight (Kg): 4,36 QIP: 54



Your Road. Our Reliability.

Order No

60020137

OEM References

IVECO

41270462

Cross References

Firestone

1 T 15 LNR 4.5


Firestone

W01 M58 8663 (without piston)

Airtech

36686 P

Air Spring



Weight (Kg): 4,22

QIP: 54

Order No

60020138

OEM References

Mercedes

A 946 328 15 01

Weweler

US 04030P

Cross References


Phoenix

1 D 28 F-3

Airtech

30283 P

Air Spring



Weight (Kg): 7,74

QIP: 24

Order No

60020139

OEM References

Cross References


Phoenix

1 D 28 F-5

Airtech

30285 P

Air Spring



Weight (Kg): 3,26

QIP: 26

[illegible]


[illegible]

Order No 60020146**Air Spring****OEM References**

Scania	1440305
Scania	492680
Scania	1440859
ROR	MLF7143

Cross References

Contitech	1 DF 20 A-2
Firestone	1T15LR-4
Firestone	W01-095-0481
Goodyear	1R11-830
Goodyear	566-22-3-545
Vibracoustic	V 1 DF 20 C-2
Airtech	330305 P




Weight (Kg): 2,89 QIP: 45

Order No 60020147**Air Spring****OEM References**

Hendrickson	B 6195
Cardi	58050900
Zorzi	1006551
WABCO	951 812 703 0

Cross References

Firestone	W01-M58-6289 (Without Piston)
Goodyear	1R12-703
Airtech	391209 P




Weight (Kg): 4,84 QIP: 45

Order No 60020148**Air Spring****OEM References**

CF Gomma	1T 323-40
CF Gomma	96864
Airtech	391210 P

Cross References

CF Gomma	1T 323-40
CF Gomma	96864
Airtech	391210 P




Weight (Kg): 4,86 QIP: 45

Order No 60020146**Air Spring****OEM References**

Scania	1440305
Scania	492680
Scania	1440859
ROR	MLF7143

Cross References

Contitech	1 DF 20 A-2
Firestone	1T15LR-4
Firestone	W01-095-0481
Goodyear	1R11-830
Goodyear	566-22-3-545
Vibracoustic	V 1 DF 20 C-2
Airtech	330305 P




Weight (Kg): 2,89 QIP: 45

Order No 60020147**Air Spring****OEM References**

Hendrickson	B 6195
Cardi	58050900
Zorzi	1006551
WABCO	951 812 703 0

Cross References

Firestone	W01-M58-6289 (Without Piston)
Goodyear	1R12-703
Airtech	391209 P




Weight (Kg): 4,84 QIP: 45

Order No 60020148**Air Spring****OEM References**

CF Gomma	1T 323-40
CF Gomma	96864
Airtech	391210 P

Cross References

CF Gomma	1T 323-40
CF Gomma	96864
Airtech	391210 P



Weight (Kg): 4,86 QIP: 45



COMPLETE AIR SPRING

germec

Your Road, Our Reliability.

Weight (Kg): 11,23 QIP: 22



Your Road, Our Reliability.

Order No

60030004

OEM References

Gigant3653

Gigant166263

Cross References

Air Spring

Weight (Kg): 15,38 QIP: 26

Order No

60030005

OEM References

Gigant3653

Gigant166263

Cross References

Air Spring

Weight (Kg): 15,30 QIP: 26

Order No

60030006

OEM References

BPW05.429.41.38.0

BPW05.429.41.69.0

Gigant15903

Cross References

Contitech942 MB

Phoenix1 DK 32 L-1

BlacktechRML 7053 C


Airtech3942-01 K

Air Spring

Weight (Kg): 5,30 QIP: 20

Air Spring


Contitech	810 MB
Phoenix	1 D 28 A-2
Firestone	1T19L-7
Firestone	W01-M58-6345, W01-M58-8775
Goodyear	1R14-716
Goodyear	566-28-3-548
Vibracoustic	VID28A-2
CF Gomma	1T19E-1
CF Gomma	87413/1
Gart	D277/B
Gart	277.4.420
Blacktech	RML7921C
Airtech	3810 C



Weight (Kg): 10,15 QIP: 22


Air Spring

Phoenix	1D 28 A-2
Firestone	1T19L-7
Firestone	W01-M58-6345
Goodyear	1R14-716
CF Gomma	1T19E-1
CF Gomma	87413/1
Blacktech	RML 7921 C1
Airtech	391320 C



Weight (Kg): 11,04 QIP: 22

Air Spring



Weight (Kg): 11,23 QIP: 22

[illegible]

Technical drawing of the QIP-22 transformer, showing a side elevation and two top views.

Side Elevation:

- Total height: 340
- Base height: 142

Top View (Left):

- Outer diameter: Ø286
- Inner diameter: Ø200
- Distance between mounting holes: 158.8
- Mounting holes: 4xM12x1.75 6G
- Top mounting holes: M22x1.5 6H

Top View (Right):

- Outer diameter: Ø286
- Inner diameter: Ø200
- Mounting holes: M12x1.75 6H

Weight (Kg): 8,32

QIP: 22

Technical drawing of the QIP-22 container, showing a side elevation and two top views.

Side Elevation:

- Total height: 400
- Base diameter: Ø200
- Base height: 178
- Top flange width: 38

Top View (Lid):

- Outer diameter: Ø286
- Inner diameter: 158.8
- Mounting holes: M22x1.5 6H (4 holes), M12x1.75 6G (4 holes)
- Central hole diameter: 79.4

Bottom View (Base):

- Outer diameter: Ø260
- Inner diameter: 141.4
- Mounting holes: M12x1.75 6G (4 holes)

Weight (Kg): 11,58

QIP: 22

Weight (Kg): 11,58 QIP: 22Weight (Kg): 10.92 OIP: 22Weight (Kg): 8,96 QIP: 22

Weight (Kg): 7.14 OIP: 36

Weight (Kg): 7,10 QIP: 36

Weight (Kg): 9,18 QIP: 36



Your Road, Our Reliability.

Order No60030019

OEM References
VDL BUS1 153 933

Cross References
Contitech836 N P05
Firestone1T17AR-4.5
FirestoneW01-M58-9710
BlacktechRML7947C8

Weight (Kg): 7,15 QIP: 36

Order No60030020

OEM References
DAF0 526 651

Cross References
Contitech836 MB K6
Phoenix1 DF 25-15
Firestone1T17AR-4.5
FirestoneW01-M58-8701
Goodyear1R12-768
Goodyear566-24-3-500
VibracousticV1DF25-15
BlacktechRML7947C6
Airtech3836-06 C

Weight (Kg): 9,18 QIP: 36

Order No60030021

OEM References
DAF0 297 721

Cross References
Contitech836 M K7
Phoenix1 DF 25-12
Firestone1T17AR-4.5
FirestoneW01-M58-8715
Goodyear1R12-723
VibracousticV1DF25-12
BlacktechRML 7947 C7

Weight (Kg): 8,38 QIP: 26


Weight (Kg): 7,26 **QIP: 36**


Weight (Kg): 7,14 QIP: 36


Weight (Kg): 7,18 **QIP: 36**



Your Road. Our Reliability.

Order No 60030025		Air Spring	
OEM References		Cross References	
		Blacktech	RML 7947 C11
			
		Weight (Kg): 8,18 QIP: 26	

Order No 60030026		Air Spring	
OEM References		Cross References	
BPW	05.429.43.51.0	Airtech	3881-01 C
			
		Weight (Kg): 16,94 QIP: 20	

Order No 60030027		Air Spring	
OEM References		Cross References	
BPW	05.429.43.51.0	Contitech	881 MB P30
Schmitz	750 496	Phoenix	1 DK 32-2
Schmitz	751 549	Firestone	1T66F-10.8
Schmitz	2198330	Firestone	W01-M58-8667
Schmitz	FAG041-0118	Goodyear	1R14-748
		Goodyear	566-28-3-501
		Vibracoustic	V1DK32 Y9
		CF Gomma	1TC360-45
		CF Gomma	206357
		Gart	C292
		Gart	292.2.532
		Blacktech	RML7992CP
		Airtech	3881-01 CPP
			
		Weight (Kg): 13,66 QIP: 18	

Weight (Kg): 11,24 QIP: 38

Weight (Kg): 12,02 **QIP:** 38

Weight (Kg): 8,76 **QIP:** 38




Your Road. Our Reliability.

Order No60030043

OEM References
SAF3.229.0039.00 / 2626V

Cross References
Airtech32626 CPP




Weight (Kg): 8,78 QIP: 36

Order No60030044

OEM References

Cross References




Weight (Kg): 16,26 QIP: 18

Order No60030045

OEM References
Scania1903608
Scania1944314
Scania1774804

Cross References
Contitech6700 N P02
Contitech3608 M
Firestone1T19LLJ-14
FirestoneW01-M58-8535, W01-S05-9881
Goodyear1R14-869
Goodyear566-28-3-522
Airtech34608 C





Weight (Kg): 12,34 QIP: 22





Your Road. Our Reliability.

Order No 60030046		Air Spring	
OEM References		Cross References	
SAF	2.229.0007.00	Contitech	4004 N P05
		Phoenix	1 DK 22 E-5
		Firestone	1T17BS-6
		Goodyear	1R11-706
		Goodyear	566-22-3-503
		Vibracoustic	V1DK22E-5
		CF Gomma	1T300-33
		CF Gomma	97722
		Gart	D278/S
		Gart	278.4.451
		Blacktech	RML75115C
		Airtech	34004 C
		Airtech	34004-05 C





Weight (Kg): 9,48 QIP: 28

Order No 60030047		Air Spring	
OEM References		Cross References	
SAF	3.229.007.00	Contitech	4004 N P05
		Airtech	34004-05 C



Weight (Kg): 9,48 QIP: 28

Order No 60030048		Air Spring	
OEM References		Cross References	
SAF	3.229.0007.00	Contitech	4004 N P03
SAF	3.229.0007.02	Phoenix	1 DK 22 E-8
SAF	2618	Firestone	1T17BS-6
Scania	1723273	Firestone	W01-M58-6366
		Goodyear	1R11-750, 1R11-713
		Goodyear	566-22-3-503, 566-22-3-526
		Vibracoustic	V1DK22E-8
		CF Gomma	1T300-37
		CF Gomma	203715
		Gart	D278/S
		Gart	278.4.452
		Blacktech	RML75115CP
		Airtech	34004 CPP



Weight (Kg): 7,32 QIP: 28



Your Road. Our Reliability.

Order No60030049

Air Spring

OEM References

Gigant	3042
Gigant	246090
Gigant	700246090

Cross References

Weight (Kg): 10,34

QIP: 36

Order No60030050

Air Spring

OEM References

Gigant	3042
Gigant	166291

Cross References

Weight (Kg): 9,88

QIP: 38

Order No60030051

Air Spring

OEM References

Gigant	3042
Gigant	246090
Gigant	700246090

Cross References

Contitech	4007 N P03(With Steel Piston)
Vibracoustic	V1DF21A-1-246090

Weight (Kg): 9,88

QIP: 26

Weight (Kg): 11,24 QIP: 38

Weight (Kg): 12,02 **QIP:** 38

Weight (Kg): 8,76 QIP: 38

Weight (Kg): 12,24 **QIP:** 30

Weight (Kg): 9,53 **QIP: 33**

Weight (Kg): 19,64 **QIP:** 18



Your Road, Our Reliability.

Order No60030040

OEM References

SAF	3.229.0033.00
SAF	2619V
WABCO	951 811 781 0

Cross References

Contitech	4022 N P05
Firestone	1T17BS-6
Firestone	W01-M58-8612
Goodyear	1R11-781
Airtech	32619 CPP

Air Spring

Weight (Kg): 6,96 QIP: 42

Order No60030041

OEM References

SAF	3.228.1043.00
-----	---------------

Cross References

Airtech	32619-01 CPP
---------	--------------

Air Spring

Weight (Kg): 6,90 QIP: 42

Order No60030042

OEM References

SAF	3.229.0038.00
SAF	2621V

Cross References

Phoenix	1DK 22 E-13
Vibracoustic	V1DK22E-13
CF Gomma	1T300-37 / 207719
Gart	D278/S - 278.1.453
Airtech	32621 CPP

Air Spring

Weight (Kg): 7,48 QIP: 28



Your Road, Our Reliability.

Order No60030049

Air Spring

OEM References

Gigant	3042
Gigant	246090
Gigant	700246090

Cross References

Weight (Kg): 10,34

QIP: 36

Order No60030050

Air Spring

OEM References

Gigant	3042
Gigant	166291

Cross References

Weight (Kg): 9,88

QIP: 38

Order No60030051

Air Spring

OEM References

Gigant	3042
Gigant	246090
Gigant	700246090

Cross References

Contitech	4007 N P03(With Steel Piston)
Vibracoustic	V1DF21A-1-246090

Weight (Kg): 9,88

QIP: 26

Order No 60030055



Air Spring

OEM References

SAF	3.229.0029.00
SAF	3.229.2129.00
SAF	3.229.2229.00
SAF	3.229.2429.00

Cross References

Contitech	4022 N P03
Phoenix	1 DK 22 E-6
Firestone	1T17BS-6
Firestone	W01-M58-6367
Goodyear	1R11-710
Vibracoustic	V 1DK22E-9
CF Gomma	1T300-37
CF Gomma	204677
Gart	D278/S
Gart	278.4.453
Airtech	34022 C



Weight (Kg): 9,48 QIP: 28

Order No 60030056



Air Spring

OEM References

SAF	2618 V
Mercedes	3.229.2429.00
Mercedes	3.229.2229.00
Mercedes	3.229.2129.00
Mercedes	3.229.0029.00
WABCO	951 811 714 0

Cross References

Contitech	4022 N P03
Phoenix	1 DK 22 E-9
Firestone	1T17BS-6
Firestone	W01-M58-6367
Goodyear	1R11-714
Airtech	34022 CPP



Weight (Kg): 7,32 QIP: 28

Order No 60030057



Air Spring

OEM References

SAF	3.229.0033.00
Scania	1723281

Cross References

Contitech	4022 N P05
Phoenix	1 DK 22 E-11
Firestone	1T17BS-6
Firestone	W01-M58-8612
Goodyear	1R11-781
Goodyear	566-22-3-526
Vibracoustic	V 1 DK 22 E-10
CF Gomma	1T300-37 / 206585
Gart	278.1.455 / D278/S
Blacktech	RML 75133 CP5
Airtech	32619 CPP



Weight (Kg): 7,20 QIP: 28



Your Road. Our Reliability.

Order No60030058

Air Spring

OEM References

SAF	3.229.0031.00
SAF	3.229.2131.00
SAF	3.229.2231.00
SAF	3.229.2431.00
SAF	2923V
Schmitz	751 082
Scania	1723280

Cross References

Contitech	4023 N P03
Phoenix	1 D 28 B-10
Firestone	1T19L-11
Firestone	W01-M58-6348
Goodyear	1R14-729
Vibracoustic	V1D28B-10
CF Gomma	1T19E-2
CF Gomma	204676
Gart	D277
Gart	277.4.505
Blacktech	RML75134C
Airtech	34023 C

Weight (Kg): 11,54

QIP: 22

Order No60030059

Air Spring

OEM References

SAF	3.229.0031.00
SAF	3.229.2231.00
SAF	3.229.2431.00
SAF	3.229.2131.00

Cross References

Contitech	4023 N P03 (Composite Piston)
-----------	-------------------------------

Weight (Kg): 9,58

QIP: 22

Order No60030060

Air Spring

OEM References

Schmitz	015 323
Weweler	US 04028
Weweler	US 04028C
Weweler	US 04028F
Scania	2198335
SAE-SMB	09377008

Cross References

Contitech	4028 N P02
Phoenix	1 D 28 F-1
Firestone	1T19L-12
Firestone	W01-M58-8106, W01-968-8106
Goodyear	1R14-782, 1R14-810
Goodyear	566-28-3-529
Vibracoustic	V1D28F-1
Gart	D287/E
Gart	287.4.540
Blacktech	RML75139C2
Airtech	34028 C

Weight (Kg): 11,76

QIP: 22

Weight (Kg): 11,63 **QIP:** 22

Weight (Kg): 8,35 **QIP:** 26

Weight (Kg): 6,92 **QIP:** 26

[illegible]



Your Road. Our Reliability.

Order No 60030067



Air Spring

OEM References

Weweler	US 35864
ROR	2121 5761
Hendrickson	HA100001
Fruehauf	M001472

Cross References

Contitech	4156 N P15
Phoenix	1 DK 23 K-1
Firestone	1T15M-6
Firestone	W01-358-9361
CF Gomma	1T323-32
CF Gomma	207777
Blacktech	RML75267CP15
Airtech	34156 CPP



Weight (Kg): 6,86 QIP: 28

Order No 60030068



Air Spring

OEM References

Weweler	US 09361F
Weweler	US 97306
ROR	2120 8939
Hendrickson	B 2066
Neway	905 570 27
Granning	2727
Granning	1359
Granning	1528

Cross References

Contitech	4156 N P04
Contitech	4156 N P14
Phoenix	1 DK 23 K-9082
Firestone	1T15M-6
Firestone	W01-358-9082
Goodyear	1R12-092
Goodyear	566-24-3-038
Vibracoustic	V1DK23K-9082
CF Gomma	1T323-32
CF Gomma	207767
Blacktech	RML75267CP14
Airtech	34156-05 CPP



Weight (Kg): 6,77 QIP: 26

Order No 60030069



Air Spring

OEM References

Mercedes	A 946 328 14 01
Mercedes	A 946 328 14 01

Cross References

Contitech	4157 N P04
Contitech	4157 N P14
(With steel piston)	



Weight (Kg): 8,23 QIP: 38

Weight (Kg): 8.49 QIP: 38

Weight (Kg): 6,78 **QIP:** 38

Weight (Kg): 7,10 QIP: 38

Order No 60030073



Air Spring

OEM References

Weweler	US 07074C
Weweler	US 07074P

Cross References

Contitech	4157 N P05
Phoenix	1 DK 21 A-3
Firestone	1T15MPW-7
Firestone	W01-M58-7074
Vibracoustic	V1DK21A-3
CF Gomma	1TC300-38
Gart	C294
Gart	294.2.450
Airtech	34157-05 CPP



Weight (Kg): 7,26 QIP: 38

Order No 60030074



Air Spring

OEM References

Schmitz	751 065
Weweler	US 06316
Scania	2198333

Cross References

Contitech	4157 N P06
Phoenix	1 DK 20 A-1
Firestone	1T15MPW-7
Firestone	W01-968-6136, W01-968-8186
Goodyear	1R11-764
Goodyear	566-22-3-521
Vibracoustic	V1DK20A-1
Gart	C294
Gart	294.1.451
Blacktech	RML75268CP6
Airtech	38186 CPP



Weight (Kg): 7,14 QIP: 28

Order No 60030075



Air Spring

OEM References

Neway	905 572 33
SAE-SMB	M078580
SAMRO	H2501869


Cross References

Contitech	4157 N P08
Phoenix	1 DK 20 C-2
Firestone	1T15MPW-7
Firestone	W01-M58-6317
Goodyear	1R11-773
Goodyear	566-22-3-521
Vibracoustic	V1DK20C-2
CF Gomma	1T300-37
CF Gomma	207768
Gart	C294
Gart	294.1.452
Blacktech	RML75268CP8
Blacktech	RML74544CP
Airtech	39002-A3/08 CPP
Airtech	34157-08 CPP




Weight (Kg): 6,64 QIP: 23

Order No 60030076		Air Spring	
OEM References		Cross References	
Weweler	US 07074F	Contitech	4157 N P09
ROR	2122 2442	Phoenix	1 DK 21 A-31
		Firestone	1T15MPW-7
		Firestone	W01-M58-7074
		Goodyear	1R11-106
		Goodyear	566-22-3-521
		Vibracoustic	V1DK21A-31
		CF Gomma	1TC300-38
		CF Gomma	205598
		Gart	C294
		Gart	294.2.450
		Blacktech	RML75268CP9
		Blacktech	RML79002A3CP1
		Blacktech	RML79003A3CP1
		Blacktech	RML79003A8CP1
		Airtech	39002-A3 CPP 90




Weight (Kg): 7,20 QIP: 36

Order No 60030077		Air Spring	
OEM References		Cross References	
Fruehauf	UJB 0975	Contitech	4157 N P10
SAE-SMB	M060924	Phoenix	1 DK 20 A-51
		Firestone	1T15MPW-7
		Firestone	W01-M58-6315
		Goodyear	1R11-772
		Goodyear	566-22-3-521
		Vibracoustic	V1DK20A-51
		CF Gomma	1TC300-38
		CF Gomma	206925
		Gart	C294
		Gart	294.1.450
		Blacktech	RML75268CP10



Weight (Kg): 6,77 QIP: 38

Order No 60030078		Air Spring	
OEM References		Cross References	



Weight (Kg): 9,27 QIP: 28



Your Road. Our Reliability.

Order No 60030079		Air Spring	
OEM References		Cross References	
Schmitz	014 892	Contitech	4158 N P03
Schmitz	750 999	Phoenix	1 DK 20 B-1
Weweler	US 06285	Firestone	1T15MPW-9
Scania	2198334	Firestone	W01-M58-8185, W01-M58-6285
		Goodyear	1R12-749
		Goodyear	566-24-3-510
		Vibracoustic	V1DK20B-1
		Gart	D278/HS
		Gart	278.1.530, 278.1.530/1
		Blacktech	RML75269CP
		Blacktech	RML75296CP
		Airtech	34158 CPP

Weight (Kg): 7,24 QIP: 28



Order No 60030080		Air Spring	
OEM References		Cross References	
Viberti	128 147 109	Contitech	4159 N P05
WABCO	951 811 003 0	Firestone	1T15M-9
		Firestone	W01-M58-0736
		Airtech	34159 C

Weight (Kg): 10,02 QIP: 28

Order No 60030081		Air Spring	
OEM References		Cross References	
		Airtech	34159-03 C



Weight (Kg): 13,54 QIP: 28

Order No 60030082		Air Spring	
OEM References		Cross References	
Fruehauf	UJB 0203-001	Contitech	4159 N P07
SAE-SMB	1518779	Phoenix	1 DK 23 L-25
SAE-SMB	1520356	Firestone	1T15M-9
SAE-SMB	1524873	Firestone	W01-379-9091, W01-M58-8859
SAE-SMB	M001782	Goodyear	1R12-702
		Goodyear	566-24-3-501
		Vibracoustic	V1DK23B-9
		CF Gomma	1T323-40
		CF Gomma	202302
		Gart	D278/H
		Gart	278.2.511
		Blacktech	RML75260C7
		Airtech	34159-05 C





Weight (Kg): 12,94 QIP: 28

Order No 60030083		Air Spring	
OEM References		Cross References	
Scania	1327144	Firestone	1T15M-9
		Firestone	W01-M58-7348
		Airtech	34159-11 C



Weight (Kg): 3,68 QIP: 28

Order No 60030084		Air Spring	
OEM References		Cross References	
ROR	2121 5762	Contitech	4159 N P14
ROR	2121 5891	Phoenix	1 DK 21 B-4
ROR	2122 6039	Firestone	1T15M-9
Fruehauf	UJA 0894-001	Firestone	W01-M58-7548
		Goodyear	1R12-760, 1R12-834
		Goodyear	566-24-3-501
		Vibracoustic	V1DK21B-4
		CF Gomma	1T323-40
		CF Gomma	204124
		Gart	D278/H
		Gart	278.4.511/2
		Blacktech	RML75260CP14
		Airtech	34159-10 CPP



Weight (Kg): 7,66 QIP: 28

[illegible]

Order No60030088

OEM References

Mercedes	A 942 320 23 21
Mercedes	A 942 320 69 21
Mercedes	A 942 320 14 21
Mercedes	A 942 320 05 57

Cross References

Contitech	4183 N P28
Contitech	4183 N P26
Contitech	4183 N P24
Firestone	1R7C470-340
Firestone	W01-M58-0589

Air Spring

Weight (Kg): 9,56 QIP: 22

Order No60030089

OEM References

Mercedes	A 942 320 30 21
Mercedes	A 974 320 00 21

Cross References

Contitech	4185 N P01
Contitech	4185 N P21
Firestone	1R7C490-320
Firestone	W01-M58-0588
Gart	C282/S
Gart	282.1.462
Blacktech	RML95296C21
Airtech	34185-21 C

Air Spring

Weight (Kg): 9,86 QIP: 22

Order No60030090

OEM References

Mercedes	A 942 320 24 21
Mercedes	A 942 320 70 21
Mercedes	A 942 320 16 21

Cross References

Contitech	4186 N P21
Contitech	4186 N P23
Airtech	34186-23 C

Air Spring

Weight (Kg): 9,76 QIP: 22

[illegible]

Order No60030091

OEM References

Mercedes	A 942 320 25 21
Mercedes	A 942 320 71 21
Mercedes	A 942 320 17 21
Mercedes	A 942 320 06 57

Cross References

Contitech	4186 N P24
Contitech	4186 N P25
Airtech	34186-21 C

Technical drawing of Air Spring 60030091. The side view shows a height of 230 mm and a width of 140 mm. The top view shows a diameter of 180 mm and a central hole diameter of 10 mm. Mounting points are labeled with dimensions 12.5 and 25. A label 'VOS232' points to a specific part. The bottom view shows a diameter of 265 mm and mounting points labeled M16x1.5 BH, M24x1.5 BG, and M16x1.5 BH.

Weight (Kg): 10,04 QIP: 22

Order No60030092

OEM References

Mercedes	A 942 320 18 21
Mercedes	A 942 320 26 21
Mercedes	A 942 320 72 21

Cross References

Contitech	4187 N P01
Contitech	4187 N P21
Contitech	4187 N P23
Firestone	1R7C470-340
Firestone	W01-M58-0587
Goodyear	9567

Technical drawing of Air Spring 60030092. The side view shows a height of 260 mm and a width of 165 mm. The top view shows a diameter of 180 mm and a central hole diameter of 10 mm. Mounting points are labeled with dimensions 25 and 34. A label 'vos232' points to a specific part. The bottom view shows a diameter of 265 mm and mounting points labeled M16x1.5 BH, M24x1.5 BG, and M16x1.5 BH.

Weight (Kg): 9,32 QIP: 22

Order No60030093

OEM References


Mercedes	A 942 320 27 21
Mercedes	A 942 320 73 21
Mercedes	A 942 320 19 21
Mercedes	A 942 320 07 57


Cross References


Contitech	4187 N P26
Contitech	4187 N P24
Airtech	34187-22 C

Technical drawing of Air Spring 60030093. The side view shows a height of 260 mm and a width of 165 mm. The top view shows a diameter of 180 mm and a central hole diameter of 10 mm. Mounting points are labeled with dimensions 25 and 34. A label 'vos232' points to a specific part. The bottom view shows a diameter of 265 mm and mounting points labeled M16x1.5 BH, M24x1.5 BG, and M16x1.5 BH.


Weight (Kg): 9,14 QIP: 22

Order No 60030094		Air Spring	
OEM References		Cross References	
Mercedes	A 942 320 01 21	Contitech	4390 N P21
Mercedes	A 942 320 28 21	Contitech	4390 N P01
Mercedes	A 942 320 49 21	Phoenix	1 KF 21-21
		Firestone	1R7Z-440-290
		Firestone	W01-M58-8514
		Goodyear	9505
		Goodyear	556-03-9047
		Vibracoustic	V1KF21-1
		CF Gomma	1VS285-30
		CF Gomma	207765
		Gart	C304
		Gart	304.1.440
		Blacktech	RML95401C21
		Airtech	34390-21 C
		Weight (Kg): 6,26 QIP: 36	

Order No 60030095		Air Spring	
OEM References		Cross References	
Mercedes	A 942 320 02 21	Contitech	4390 N P22
Mercedes	A 942 320 29 21	Phoenix	1 KF 21-22
Mercedes	A 942 320 50 21	Firestone	1R7Z-440-290
		Firestone	W01-M58-8513
		Goodyear	9506
		Goodyear	556-03-9047
		Vibracoustic	V1KF21-2
		CF Gomma	1VS285-30
		CF Gomma	207766
		Gart	C304
		Gart	304.1.441
		Blacktech	RML95401C22
		Airtech	34390-22 C
		Weight (Kg): 6,47 QIP: 36	

Order No 60030096		Air Spring	
OEM References		Cross References	
Mercedes	A 942 320 04 21	Contitech	4390 N P03
Mercedes	A 942 320 52 21	Contitech	4390 N P23
		Goodyear	9563
		Goodyear	556-03-9047
		Vibracoustic	V1KF21-4-232
		CF Gomma	1VSC285-30
		CF Gomma	206783
		Gart	C304
		Gart	304.1.443
		Blacktech	RML95401C23
		Airtech	34390-23 C
		Weight (Kg): 6,34 QIP: 36	

[illegible]

Order No		60030102		Air Spring	
OEM References		Cross References			
BPW	04.103.00.90	Gart	D277/DA		
		Gart	D 227.4.521		
		Airtech	374521 C		
		 Technical drawing of the air spring showing side and top views with dimensions: - Side view dimensions: Total height 400, mounting bracket height 180, base diameter Ø160. - Top view dimensions: Outer diameter Ø286, inner diameter Ø223, mounting hole diameter Ø158, distance between mounting holes 158, distance from center to mounting hole 79, distance from center to base 138. - Mounting holes: 4xM12x1.75 6g (top view), 2xM12x1.75 6H (side view).			
		Weight (Kg): 11,08 QIP: 22			



Your Road, Our Reliability.

Order No


60030103

OEM References

Volvo20424543

Cross References

Air Spring



Weight (Kg): 9,83

QIP: 30

Order No

60030104


OEM References

Volvo22 058 737
Volvo21 224 745

Cross References

Contitech4560 N P02
Airtech34560 C

Air Spring



Weight (Kg): 3,13

QIP: 45

Order No

60030105


OEM References

Volvo22 058 741
Volvo21 224 749

Cross References

Contitech4570 N P02
Airtech34570 C


Air Spring





Weight (Kg): 14,1

QIP: 36

[illegible]

Order No 60030112		Air Spring	
OEM References		Cross References	
Mercedes	A 942 320 32 21	Contitech	4757 N P29
Mercedes	A 942 320 02 17	Contitech	4757 N P09
Mercedes	A 974 320 04 17	Contitech	4757 N P02
		Firestone	1R7Z-460-305-B
		Firestone	W01-M58-8522
		Goodyear	9520
		Goodyear	D13T02
		Vibracoustic	V1KF24-2-232
		CF Gomma	1VSC300-26
		CF Gomma	206786
		Gart	C299 / A
		Airtech	34757-29 C
			
		Weight (Kg): 7,44 QIP: 28	

Order No 60030113		Air Spring	
OEM References		Cross References	
Mercedes	A 942 320 48 21	Contitech	4758 N P01
Mercedes	A 945 320 00 17	Contitech	4758 N P21
		Blacktech	RML95869C21
		Airtech	34758-21 C
			
		Weight (Kg): 9,22 QIP: 28	

Order No 60030114		Air Spring	
OEM References		Cross References	
Mercedes	A 942 320 02 17	Contitech	4759 N P01
Mercedes	A 942 320 44 21	Contitech	4759 N P21
		Blacktech	RML95860C21
		Airtech	34759-21 C
			
		Weight (Kg): 6,78 QIP: 39	

[illegible]



Your Road, Our Reliability.

Order No

60030121

OEM References

BPW

05.429.41.01.0

WABCO

951 814 701 0

Cross References

Contitech

4881 N P02

Phoenix

1 DK 32 K

Firestone

1T66D-7.0

Firestone

W01-M58-8601


Goodyear

1R14-701

Airtech

34881 C

Air Spring



Weight (Kg): 15,76 QIP: 20

Order No

60030122

OEM References

BPW

05.429.41.01.0

WABCO

951 814 701 0

Cross References

Firestone

1T66F-7.0

Firestone

W01 M58 8602


Goodyear

1R14-724

Airtech

34881-01 C

Air Spring



Weight (Kg): 15,76 QIP: 20

Order No

60030123

OEM References

BPW

05.429.43.41.0G

Cross References

Goodyear

1R14-757


Goodyear

D14B44

Airtech

34881 CPP

Air Spring



Weight (Kg): 12,35 QIP: 20


Weight (Kg): 12,88 QIP: 18

Weight (Kg): 8,22 **QIP:** 42

Weight (Kg): 9,38 **QIP:** 30


[illegible]

Order No 60030133		Air Spring	
OEM References		Cross References	
Renault	5.010.294.307	Contitech	4912 N P07
Dennis	611 896/12	Phoenix	1 DK 28 F-4
		Firestone	1T19L-14
		Firestone	W01-M58-8786
		Goodyear	1R13-738
		Goodyear	1R13-711
		Goodyear	566-26-3-502
		Vibracoustic	V1DK28F-4
		CF Gomma	1T19E-4
		CF Gomma	206779
		Gart	D287/C
		Gart	287.1.600
		Blacktech	RML75023C7
		Airtech	34912 C




Weight (Kg): 13,20 QIP: 22

Order No 60030134		Air Spring	
OEM References		Cross References	
Renault	5.010.557.355	Contitech	4912 N P10
Renault	7.422.025.556	Phoenix	1 DK 28 F-5
Volvo	20 722 412	Firestone	1T19LL-14
Volvo	22 025 568	Firestone	W01-M58-5521
		Goodyear	1R13-753
		Goodyear	566-26-3-502
		Vibracoustic	V1DK28F-8
		CF Gomma	1T19E-4
		CF Gomma	207769
		Gart	D287/C
		Gart	287.1.603
		Blacktech	RML75023C10
		Airtech	34912-10 C



Weight (Kg): 13,72 QIP: 22

Order No 60030135		Air Spring	
OEM References		Cross References	
Scania	1379392	Contitech	4913 N P02
Scania	1440294	Phoenix	1 D 28 H-16
		Firestone	1T19LAJ-14, 1T19L-14
		Firestone	W01-M58-9881, W01-095-0500
		Goodyear	1R14-753
		Goodyear	566-28-3-522
		Vibracoustic	V1D28H-16
		CF Gomma	1T19E-93
		CF Gomma	206201
		Gart	C282/H, D287/H
		Gart	282.1.600, 282.1.606
		Blacktech	RML75024C
		Airtech	34913 C



Weight (Kg): 12,48 QIP: 22



Your Road, Our Reliability.

Order No60030136

Air Spring

OEM References

Renault	5.010.294.309
ROR	MLF7057
SAMRO	H2501122

Cross References

Contitech	4915 N P06
Phoenix	1 DK 19-1
Vibracoustic	V1DK19-1
Airtech	34915-01 c

Weight (Kg): 10,12 QIP: 30

Order No60030137

Air Spring

OEM References

Renault	5.010.557.622
Renault	5.010.630.457
Renault	7.421.978.484
Volvo	20 735 220
Volvo	21 978 490

Cross References

Contitech	4919 N P01
Blacktech	RML 75020 C
Airtech	34919 C

Weight (Kg): 8,72 QIP: 28

Order No60030138

Air Spring

OEM References

Renault	5.010.600.262
---------	---------------

Cross References

Contitech	4922 MB
Airtech	34922 CPP

Weight (Kg): 7,32 QIP: 22



Your Road. Our Reliability.

Order No60030139

OEM References

Volvo	1 075 365
Volvo	1 629 782
Volvo	20 452 138
Volvo	20 554 761

Cross References

Contitech	6609 N P01
Airtech	34925 C

Air Spring

Weight (Kg): 8,18 QIP: 36

Order No60030140

OEM References

Renault	5.010.630.800
Renault	5.010.305.391
Renault	22 025 580
Volvo	*22 025 612
Volvo	25 379 286
Volvo	20 722 409

Cross References

Contitech	4927 N P01
Blacktech	RML 75038 CP

Air Spring

Weight (Kg): 6,64 QIP: 28

Order No60030141

OEM References

Neway	90557009
-------	----------

Cross References

Contitech	4929 N P01 RT
Airtech	34929 C

Air Spring

Weight (Kg): 8,20 QIP: 42

[illegible]

Order No


60030145

OEM References

BPW05.429.43.24.0

Cross References

Airtech34940 CPP



Weight (Kg): 8,56

QIP: 26

Order No


60030146

OEM References

BPW05.429.43.25.0

Cross References

Airtech34941 C



Weight (Kg): 11,91

QIP: 26

Order No


60030147

OEM References

BPW05.429.41.25.0

Cross References

Contitech 4941 N P02 (composite piston)



Weight (Kg): 9,44

QIP: 26

Order No

60030148

OEM References

BPW05.429.43.23.0 (30K)

WABCO951 811 801 0

Cross References

Contitech4960 N P02

BlacktechRML 75071 C

Airtech34960 C

Air Spring

Weight (Kg): 11,44 QIP: 28

Order No

60030149

OEM References

BPW05.429.41.77.0

Cross References

Contitech4960 N P02(composite piston)

Airtech34960 CPP

Air Spring

Weight (Kg): 8,48 QIP: 38

Order No

60030150

OEM References

BPW05.429.43.26.0

Cross References

Airtech34960-01 CPP

Air Spring

Weight (Kg): 8,48 QIP: 38

Weight (Kg): 11,44 QIP: 26

Weight (Kg): 8,49 QIP: 38

Weight (Kg): 12,61 **QIP:** 30

Weight (Kg): 9,58 **QIP:** 33

Weight (Kg): 6,72 QIP: 42Weight (Kg): 6,72 QIP: 42

Order No60030157

OEM References

MERCEDES A 960 320 12 57

MERCEDES A 960 320 62 57

Cross References

Contitech 6121 N P44

Air Spring

Technical drawing of air spring 60030157. The side view shows a total height of 280 mm and a body height of 160 mm. The top view shows an outer diameter of Ø228 mm and an inner diameter of Ø168 mm. Mounting points are spaced 65 mm apart. A central hole is labeled M22x1.5 6H. A label 'Vos232' points to a component on the top right.

Weight (Kg): 4,63

QIP: 39

Order No60030158

OEM References

MERCEDES A 960 320 00 57

MERCEDES A 960 320 70 21

Cross References

Contitech 6122 N P46

Air Spring

Technical drawing of air spring 60030158. The side view shows a total height of 280 mm and a body height of 160 mm. The top view shows an outer diameter of Ø259 mm and an inner diameter of Ø200 mm. Mounting points are spaced 45 mm apart. A central hole is labeled M22x1.5 6H.

Weight (Kg): 6,22

QIP: 28

Order No60030159

OEM References

MERCEDES A 960 320 77 21

MERCEDES A 960 320 01 57

Cross References

Contitech 6122 N P47

Air Spring

Technical drawing of air spring 60030159. The side view shows a total height of 280 mm and a body height of 160 mm. The top view shows an outer diameter of Ø259 mm and an inner diameter of Ø200 mm. Mounting points are spaced 45 mm apart. A central hole is labeled M22x1.5 6H. A label 'M16x1.5 6H' points to a hole on the left side.

Weight (Kg): 6,26

QIP: 28



[illegible]



Weight (Kg): 7,12 QIP: 36



Weight (Kg): 9,02 **QIP:** 24

Weight (Kg): 10,58 **QIP:** 24

[illegible]

Order No 60030169		Air Spring	
OEM References		Cross References	
Volvo	1 075 891	Contitech	6608 N P01
Volvo	1 076 416	Phoenix	1 DF 17 B-1
Volvo	20 374 510	Firestone	1T15UR-9
Volvo	20 456 152	Firestone	W01-M58-8474
Volvo	20 531 985	Goodyear	1R10-704
Volvo	20 582 215	Goodyear	D10B01
Volvo	70 321 693	Vibracoustic	V1DF16D-1
		Gart	C295V
		Gart	295.1.465
		Airtech	36416 C
			
		Weight (Kg): 6,64 QIP: 27	

Order No 60030170		Air Spring	
OEM References		Cross References	
Volvo	1 076 418	Contitech	6607 N P01
Volvo	20 374 511	Phoenix	1 DF 17 A-1
Volvo	20 456 156	Firestone	1T15UR-6
Volvo	20 531 987	Firestone	W01-M58-8473
Volvo	20 582 214	Goodyear	1R10-707
Volvo	3 171 695	Goodyear	566-20-3-507
Volvo	70 321 695	Vibracoustic	V1DF16C-1
Volvo	21 961 451	Gart	C294/VA
		Gart	295.1.400
		Blacktech	RML77529C
		Airtech	36418 C
			
		Weight (Kg): 6,36 QIP: 30	

Order No 60030171		Air Spring	
OEM References		Cross References	
Volvo	1076420	Contitech	6606 N P02
Volvo	20 531 988	Firestone	1T15LNR-3.0
Volvo	20 582 212	Firestone	W01-M58-8690
Volvo	21 961 447	Blacktech	RML76420
Volvo	20 427 805	Airtech	36420 C
Volvo	20 427 804		
Volvo	20 456 158		
Volvo	20 427 802		
Volvo	20 375 228		
Volvo	1 076 417		
			
		Weight (Kg): 5,58 QIP: 28	

Order No	60030175	Air Spring	
OEM References		Cross References	
Volvo	20 480 202	Contitech	6602 N P01
Volvo	20 573 113	Contitech	6602 N P02
Volvo	21 041 697	Goodyear	1R12-843
Volvo	21 097 453	Goodyear	566-24-3-548
Volvo	70 313 734	Vibracoustic	RML77805C
Volvo	70 321 079	Airtech	36113 C
		Technical drawing of an air spring. The side view shows a cylindrical body with a central piston rod and a top flange. Dimensions include a top flange diameter of 27, a body diameter of 108, and a body height of 27. The top view shows a circular cross-section with a diameter of 259, a central hole diameter of 64.5, and a mounting hole diameter of 127. The mounting holes are spaced 92.4 apart. The bottom view shows a circular cross-section with a diameter of 190 and a central hole diameter of 127. The mounting holes are spaced 84 apart. The drawing also indicates the use of M16x1.5 6H and M10x1.5 6G bolts.	
		Weight (Kg): 8,48 QIP: 27	

Weight (Kg): 18,5 QIP: 30

Weight (Kg): 8,20 **QIP:** 30

Weight (Kg): 5,72 QIP: 30



Your Road. Our Reliability.

Order No60030179

OEM References

Volvo	70 376 911
Volvo	70 376 919
Volvo	70 321 690

Cross References

Contitech	6604 N P03
-----------	------------

Weight (Kg): 5,24 QIP: 28

Order No60030180

OEM References

Volvo	20 554 760
Volvo	20 452 136

Cross References

Airtech	36760 C
---------	---------

Weight (Kg): 9,38 QIP: 28

Order No60030181

OEM References

Volvo	20 554 770
Volvo	3173271

Cross References

Contitech	54770 M
Vibracoustic	V1 DF 22 C-3
Gart	2931.461- C293/V
Blacktech	RML 74770 C
Airtech	36770 C

Weight (Kg): 8,64 QIP: 36



Your Road. Our Reliability.

Order No60030182

Air Spring

OEM References

IVECO	99458557
IVECO	99458557
IVECO	99458555
Neway	MO557019/030
Neway	MO557020/031

Cross References

Firestone	1T15AAA-6
Firestone	W01-M587313
Airtech	37313 C

Weight (Kg): 7,86

QIP: 30

Order No60030183

Air Spring

OEM References

Scania	1314904
Scania	1865753
ROR	MLF7033

Cross References

Firestone	1T15LUX-11
Firestone	W01-M58-7315
Airtech	37315 C

Weight (Kg): 11,26

QIP: 35

Order No60030184

Air Spring

OEM References


Cross References

Firestone	1T15LUX11
Firestone	W01-M58-7315
Goodyear	1R11-828
Goodyear	566-22-3-544
Blacktech	RML 77315 C
Airtech	37315 P

Weight (Kg): 7,35


QIP: 30

Order No 60030185		Air Spring	
OEM References		Cross References	
Renault	7.422.071.638	Contitech	6605 N P01
Volvo	1 075 890	Phoenix	1 DF 20 D-1
Volvo	1 076 415	Firestone	1T15LNR-6
Volvo	20 375 226	Firestone	W01-M58-8472
Volvo	20 427 800	Goodyear	1R11-805
Volvo	20 456 150	Goodyear	566-22-3-535
Volvo	20 531 984	Vibracoustic	V1DF20B-1
Volvo	20 582 206	Gart	C294/V
Volvo	21 961 374	Gart	294.1.430
Volvo	20 427 803	Blacktech	RML78914C
		Airtech	37803 C




Weight (Kg): 7,28 QIP: 30

Order No 60030186		Air Spring	
OEM References		Cross References	
Volvo	20 375 227	Contitech	6606 N P01
Volvo	20 456 154	Phoenix	1 DF 20 E-1
Volvo	20 531 986	Firestone	1T15LNR-3
Volvo	20 582 209	Firestone	W01-M58-8477
Volvo	3 171 694	Goodyear	1R11-848
Volvo	70 321 694	Goodyear	566-22-3-553
Volvo	20 427 801	Vibracoustic	V1DF20A-1
Volvo	21 961 443	Gart	C294/VA
Volvo	20 427 805	Gart	294.1.370
Volvo	20 427 804	Blacktech	RML77804C
		Airtech	37804 C



Weight (Kg): 7,22 QIP: 30

Order No 60030187		Air Spring	
OEM References		Cross References	
Volvo	20 456 158	Contitech	7802 M
Volvo	20 427 805	Airtech	37805 C
Volvo	20 427 802		
Volvo	20 582 212		
Volvo	20 531 988		



Weight (Kg): 6,38 QIP: 30

Order No	60030190	Air Spring	
OEM References		Cross References	
ROR	21229214	Firestone	1T17DJ-7
		Firestone	W01-M58-8608
		Airtech	38608 CPP
		Technical drawing of the air spring showing side, top, and bottom views with dimensions: - Side view: Total height $h : 400$, mounting bracket height 171. - Top view: Outer diameter $\varnothing 259$, inner diameter $\varnothing 200$, mounting holes $M12 \times 1.75 \text{ 6G}$ at 18° and 37°. - Bottom view: Mounting holes $M12 \times 1.75 \text{ 6H}$, diameter $\varnothing 204$, and a central dimension of 100.	
		Weight (Kg): 7,04 QIP: 38	

Order No

60030193

Air Spring

OEM References

IVECO	41270463
IVECO	41031243
IVECO	41214058
IVECO	41214814

Cross References

Firestone	1 T 15 LNR 4.5
Firestone	W01 M58 8662
Vibracoustic	V 1 E 19-2
CF Gomma	1 TS 270-23
CF Gomma	206687
Gart	290.1.391
Gart	D 290 BR
Blacktech	RML 70463 CP
Airttech	36687 CPP

Technical drawing of the air spring showing side and front views with dimensions:

- Side view dimensions: 80, 20, 45, 30, 10°, 100, 300, 120, 75, M14x2 8g.
- Front view dimensions: 130, 78, 67, Ø228, M16x1.5 RH, Ø195.

Weight (Kg): 5,96

QIP: 30

Weight (Kg): 5.88 QIP: 30

Weight (Kg): 13,18 **QIP:** 22

Weight (Kg): 8,36 QIP: 28



Your Road. Our Reliability.

Order No60030197

OEM References

Mercedes	A 946 328 04 01
Hendrickson	HS 251087
SAMRO	2500915

Cross References

Firestone	1T17B-11
Firestone	W01-M58-8747
Goodyear	1R13-150
Airtech	30081 C

Air Spring

h : 380

40

145

Ø259

78.8

M20x2.5 6E
M14x1.5 6G

4xM12x1.75 6H

101.8

258

Weight (Kg): 11,18 QIP: 21

Order No60030198

OEM References

Mercedes	A 946 328 04 01
Renault	5.010.557.164
ROR	MLF7061
Hendrickson	HS 251087
SAMRO	2500915

Cross References

Firestone	1T17B-11
Firestone	W01-M58-8747

Air Spring

h : 380

40

146

Ø258

77.75

M20x2.5 6E
M14x1.5 6G

4xM12x1.75 6H

101.6

282

Weight (Kg): 7,32 QIP: 21

Order No60030199

OEM References

Schmitz	017685
Schmitz	017089
Weweler	US04031

Cross References

Phoenix	1 D28F-5 (566-28-3-529)
Airtech	30285 C

Air Spring

h : 400

36

178

Ø286

150

2xM12x1.75 6G

30

195

85

Ø200

4xM12x1.75 6H

Ø259

Weight (Kg): 7,24 QIP: 26

Order No 60030200



Air Spring

OEM References

Scania	1440301
Scania	488265
Scania	470920

Cross References

Phoenix	1 DF 23 B-1
Firestone	1T15VR-3
Firestone	W01-S15-8192
Goodyear	1R13-746
Airtech	330301 C



Weight (Kg): 9,05 QIP: 26

Order No 60030201



Air Spring

OEM References

Scania	1440302
Scania	470921
Scania	488266

Cross References

Phoenix	1 DF 23 A-1
Firestone	1T15VPR-3
Firestone	W01-M58-8193
Goodyear	1R12-809
Goodyear	566-24-3-530
Airtech	330302 C



Weight (Kg): 9,08 QIP: 36

Order No 60030202



Air Spring

OEM References

Scania	1521114
Scania	1475106
Scania	1440303
Scania	488263

Cross References

Phoenix	1 DF 20 C-1
Firestone	1T15L-4
Firestone	W01-095-0422
Goodyear	1R11-833
Airtech	331114 C



Weight (Kg): 7,78 QIP: 39



Your Road, Our Reliability.

Order No60030203

OEM References

Mercedes	1440304
Mercedes	470922
ROR	MLF7142

Cross References

Phoenix	1 DF 20 A-1
Firestone	1T15LR-4
Firestone	W01-095-0424
Goodyear	1R11-829
Airtech	330304 C

h : 304

21

170

101

Ø228

140

56.5

M14x1.5 BH

2xØ11.9

Ø13

Ø186

127

Weight (Kg): 7,95

QIP: 30

Order No60030204

OEM References

Scania	1440305
Scania	492680
Scania	1440859
ROR	MLF7143

Cross References

Phoenix	1 DF 20 A-2
Firestone	1T15LR-4
Firestone	W01-095-0481
Goodyear	1R11-830
Goodyear	566-22-3-545
Airtech	330305 C

h : 325

21

139

103

Ø228

140

56.5

M14x1.5 BH

2xØ11.9

Ø13

Ø203

127

Weight (Kg): 9,01

QIP: 30

Order No60030205

OEM References

Scania	1440306
Scania	492678

Cross References

Phoenix	1 DF 20 A-3
Firestone	1T15LR-4
Firestone	W01-095-0481
Goodyear	1R11-831
Airtech	330306 C

h : 300

21

160

103

Ø228

140

56.5

M14x1.5 BH

2xØ11.9

Ø13

Ø205

127

Weight (Kg): 8,72

QIP: 30

[illegible]

[illegible]



IMPERIAL ITEMS

germec

Your Road, Our Reliability.



Your Road, Our Reliability.

Order No60030211

OEM References

Cross References

Goodyear1R11-216

Goodyear566-22-3-068

Air Spring

Weight (Kg): 5,42 QIP: 36

Order No60030212

OEM References

IVECO504035755

Granning5235 / 5307

Cross References

Firestone1T14C-1

FirestoneW01-358-5343

Air Spring

Weight (Kg): 2,68 QIP: 112

Order No60030213

OEM References

Cross References

Contitech6 6.5-13 S 559

Firestone1T14C-3

FirestoneW01-358-5423

Automann1DK10B-5423

TriangleAS-8559


Airtech35423 CPP


Air Spring


Weight (Kg): 2,92 QIP: 103



Your Road, Our Reliability.

Order No 60020150		Air Spring	
OEM References		Cross References	
		Firestone	1T19ZK-5.7
			
		Weight (Kg): 4,16 QIP: 72	

Order No 60030214		Air Spring	
OEM References		Cross References	
Hendrickson	B-12514-013	Contitech	11 10.5C-16 A 320
Hendrickson	S-4771	Firestone	1TT19ZK-5.7
Hendrickson	B-4771	Firestone	W01-358-8050
Hendrickson	36514-13	Goodyear	1R14-039
Navistar	1685174C1	Goodyear	566283065
SAF HOLAND	57008050	Automann	1DK28A-8050
Volvo	3130498	Triangle	AS-8320
			
		Weight (Kg): 8,74 QIP: 33	

Order No 60030215		Air Spring	
OEM References		Cross References	
Hendrickson	12514-013 / 4771	Contitech	11 10.5-C 16 A 320
Navistar	1685174C1	Contitech	11 10.5-E 16 A 320
Navistar	FLT1R14039	Firestone	1T19ZK-5.7
SAF HOLAND	57008050	Firestone	W01-358-8050
		Goodyear	1R14-039 / -055 / -083
		Automann	1DK28A-8050
		Triangle	8320
		Airtech	38050 C
			
		Weight (Kg): 12,16 QIP: 33	

Weight (Kg): 7,30 QIP: 44Weight (Kg): 4,82 QIP: 50

Weight (Kg): 5,62 **QIP:** 56



Your Road, Our Reliability.

Order No60030220

OEM References

Cross References

Contitech10 10-16 S 526

Firestone1T17CA-6.5


FirestoneW01-358-8708


Goodyear1R13-177 / -128

Automann1DK25E-8708

Triangle8526

Airtech38708 CPP





Weight (Kg): 6,64

QIP: 36

Order No60030221

OEM References

HendricksonS211800 / S20900

NavistarFLT1R13159

Cross References

Contitech10 10.5-15 P 460

Firestone1T17CA-5


FirestoneW01-358-8709


Goodyear1R13-159

Automann1DK25A-8709

Triangle8460

Airtech38709 CPP





Weight (Kg): 6,24

QIP: 52

Order No60030222

OEM References

Cross References

Contitech10 10-16 S 533

Firestone1T17CA-6.5


FirestoneW01-358-8713


Goodyear1R13-176 / -140

Automann1DK25E-8713

Triangle8533

Airtech38713 CPP





Weight (Kg): 6,66

QIP: 36



Your Road. Our Reliability.

Order No60030220

OEM References

Cross References

Contitech10 10-16 S 526

Firestone1T17CA-6.5


FirestoneW01-358-8708


Goodyear1R13-177 / -128

Automann1DK25E-8708

Triangle8526

Airtech38708 CPP





Weight (Kg): 6,64

QIP: 36

Order No60030221

OEM References

HendricksonS211800 / S20900

NavistarFLT1R13159

Cross References

Contitech10 10.5-15 P 460

Firestone1T17CA-5


FirestoneW01-358-8709


Goodyear1R13-159

Automann1DK25A-8709

Triangle8460

Airtech38709 CPP





Weight (Kg): 6,24

QIP: 52

Order No60030222

OEM References

Cross References

Contitech10 10-16 S 533

Firestone1T17CA-6.5


FirestoneW01-358-8713


Goodyear1R13-176 / -140

Automann1DK25E-8713

Triangle8533

Airtech38713 CPP





Weight (Kg): 6,66

QIP: 36

[illegible]

Weight (Kg): 5,44 **QIP:** 55

Weight (Kg): 9,04 **QIP:** 40

Weight (Kg): 7,68 QIP: 32



Your Road, Our Reliability.

Order No60030231

OEM References
Peterbilt03-08716

Cross References
Contitech9 10-19 P 898
Firestone1T15M-9
FirestoneW01-358-8864
Automann1DK23L-8864
Triangle8898

6.86
6.21
3.94
2.88
Ø8.98
Ø7.92
1/2"-14NPTF
2x3/8"-16UNC
1/2"-13 UNC

Weight (Kg): 5,76QIP: 50

Order No60030232

OEM References

Cross References
Firestone1T15M-9
FirestoneW01-358-8865

6.70
6.21
2.88
Ø9.00
Ø3.94
Ø8.00
1/2"-14NPT
2x3/8"-16UNC
1/2"-13 UNC

Weight (Kg): 5,85QIP: 35

Order No60030233

OEM References
HendricksonS20217

Cross References
Contitech9 10-17.5 P 436
Firestone1T15MLW-7
FirestoneW01-358-8944 / 9015
Goodyear1R12-366 / -271
Automann1DK23P-8944
Triangle8436

5.75
6.98
3.10
Ø11.10
3/4"-16 UNF
1/4"-16 NPT
1/2"-13UNC

Weight (Kg): 6,18QIP: 40



Your Road, Our Reliability.

Order No60030231

OEM References
Peterbilt03-08716

Cross References
Contitech9 10-19 P 898
Firestone1T15M-9
FirestoneW01-358-8864
Automann1DK23L-8864
Triangle8898

Weight (Kg): 5,76**QIP:** 50

Order No60030232

OEM References

Cross References
Firestone1T15M-9
FirestoneW01-358-8865

Weight (Kg): 5,85**QIP:** 35

Order No60030233

OEM References
HendricksonS20217

Cross References
Contitech9 10-17.5 P 436
Firestone1T15MLW-7
FirestoneW01-358-8944 / 9015
Goodyear1R12-366 / -271
Automann1DK23P-8944
Triangle8436

Weight (Kg): 6,18**QIP:** 40

[illegible]



Your Road. Our Reliability.

Order No60030239

OEM References

Cross References

Contitech9 10-16 P 310

Air Spring

Side view dimensions: 1.59, 5.71

Top view dimensions: Ø8.98, 1/2"-13UNC, 3/4"-16UNF 1/4"-18NPT, Ø5.50, Ø7.88, 4x1/2"-13UNC, Ø10.24

Weight (Kg): 8,92QIP: 52

Order No60020152

OEM References

Cross References

Firestone1T15M-9

Air Spring

Side view dimensions: Ø10.00, 1.59, 1.50, 20.15, 1/2"-13UNC

Top view dimensions: Ø8.97, 1/2"-13UNC, 3/4"-16UNF 1/4"-18NPT, Ø5.50

Weight (Kg): 5,52QIP: 45

Order No60030240

OEM References

Navistar554768C1
Neway90557082 / 90557008
Neway90557009 / 90557043
Volvo85101149
Reyco12883-01
RidewellS-5828-C / S-740-C
Ridewell1003589101C

Cross References

Contitech9 10-19 P 315
Firestone1T15M-9
FirestoneW01-358-9101
Goodyear1R12-103
Automann1DK23L-9101
Triangle8315
Airtech39101 CPP

Air Spring


Side view dimensions: 1.59, 1.50, 7.38


Top view dimensions: Ø8.97, 1/2"-13UNC, 3/4"-16UNF 1/4"-18NPT, Ø5.50, Ø8.87, 4x1/2"-13UNC, Ø10.23


Weight (Kg): 7,44QIP: 42



Your Road. Our Reliability.

Order No 60030239		Air Spring	
OEM References		Cross References	
		Contitech	9 10-16 P 310
			
		Weight (Kg): 8,92 QIP: 52	

Order No 60020152		Air Spring	
OEM References		Cross References	
		Firestone	1T15M-9
			
		Weight (Kg): 5,52 QIP: 45	

Order No 60030240		Air Spring	
OEM References		Cross References	
Navistar	554768C1	Contitech	9 10-19 P 315
Neway	90557082 / 90557008	Firestone	1T15M-9
Neway	90557009 / 90557043	Firestone	W01-358-9101
Volvo	85101149	Goodyear	1R12-103
Reyco	12883-01	Automann	1DK23L-9101
Ridewell	S-5828-C / S-740-C	Triangle	8315
Ridewell	1003589101C	Airtech	39101 CPP
			
		Weight (Kg): 7,44 QIP: 42	



Your Road. Our Reliability.

Order No 60030244


Air Spring

OEM References

Hendrickson	S13160
Navistar	554773C1
Neway	90557019 / 90557010
Neway	90557052 / 90557078
Neway	90557083 / 90557110
Neway	9055732
Volvo	85101159
Dayton	352-9121
Reyco	12882-02
Ridewell	100358912C

Cross References

Contitech	11 10.5-17 A 317
Firestone	1T19F-7 / 1T19L-7
Firestone	W01-358-9121
Goodyear	1R13-039 / -043 / -049
Automann	1D28G-9121
Triangle	8317



Weight (Kg): 8,09 QIP: 33

Order No 60030245


Air Spring

OEM References

Hendrickson	S13160
Navistar	554773C1
SAF HOLLAND	90557019
SAF HOLLAND	90557010
SAF HOLLAND	90557052
SAF HOLLAND	90557078
SAF HOLLAND	90557083
SAF HOLLAND	90557110
SAF HOLLAND	90557324
SAF HOLLAND	85101159
Volvo	AS-0013

Cross References

Phoenix	11 10.5-17 A 317
Firestone	1T19F-7, 1T19L-7
Firestone	W01-358-9121
Goodyear	1R13-039, 1R13-043
Goodyear	1R13-049
Airtech	39121



Weight (Kg): 10,44 QIP: 33

Order No 60030246


Air Spring

OEM References

Hendrickson	S3467 / S3830 / 36514-2
Hendrickson	36514-8 / S12514-010
Hendrickson	S12514-008 / S12437
Navistar	1681748C1
Navistar	FLT1R13038
Neway	90557071 / 90557076
Neway	90557077 / 90557020
Neway	90557185
Volvo	85101163
Dayton	352-9122
Reyco	12883-02
Ridewell	1003589122C

Cross References

Contitech	11 10.5-21 A 313
Firestone	1T19F-11 / 1T19L-11
Firestone	W01-358-9122 / 8792
Goodyear	1R14-045 / -038 / -048
Automann	1D28C-9122
Triangle	8313



Weight (Kg): 11,67 QIP: 30

Order No	60030249	Air Spring	
OEM References		Cross References	
Neway	90557155	Contitech	11 10.5-17 A 377
Neway	90557323	Firestone	1T19L-9
		Firestone	W01-358-9144
		Automann	1D28G-9144
		Triangle	8377
		Weight (Kg): 8.96 QIP: 19	



Your Road, Our Reliability.

Order No60030300

OEM References

Hendrickson	98734-094/67043-002
Neway	199865-CP

Cross References

Contitech	9 10BS-17 P 1192 (BK)
Firestone	1T15VMR-8
Firestone	W01-358-9865
Triangle	AS-81192

Weight (Kg): 6,55 QIP: 28

Order No60030250

OEM References

Hendrickson	S7128
Navistar	554777C1
Navistar	1681742C1
Neway	199156-CP

Cross References

Contitech	11 10.5-21 A 370
Firestone	1T19F-11 / 1T19L-11
Firestone	W01-358-9156
Goodyear	1R14-019 / -025
Automann	1D28C-9156
Triangle	8370

Weight (Kg): 9,02 QIP: 40

Order No60030251

OEM References

Hendrickson	S7128
Navistar	554777C1 1681742C1

Cross References

Contitech	11 10.5-21 A 370
Firestone	1T19L-11
Firestone	W01-358-9156
Goodyear	1R14-019 / -025
Automann	1D28C-9156
Triangle	8370

Weight (Kg): 11,42 QIP: 30



Your Road. Our Reliability.

Order No60030252

OEM References

Hendrickson	S12514-004 / S12514-011
Hendrickson	S2063
Navistar	554780C1 1681745C1
Neway	90557005 / 90557069
Neway	90044197
Dayton	352-9158
Ridewell	1003589158C

Cross References

Contitech	11 10.5-21 A 318
Firestone	1T19F-11 / 1T19L-11
Firestone	W01-358-9158
Goodyear	1R14-030 / -031 / -054
Automann	1D28C-9158
Triangle	8318
Airtech	39158 C

Air Spring

Weight (Kg): 10,02 QIP: 30

Order No60030253

OEM References

Hendrickson	S12514-004 / S12514-011
Hendrickson	S2063
Navistar	554780C1 1681745C1
Neway	90557005 / 90557069
Neway	90044197
Dayton	352-9158
Ridewell	1003589158C

Cross References

Contitech	11 10.5-21 A 318
Firestone	1T19F-11 / 1T19L-11
Firestone	W01-358-9158
Goodyear	1R14-030 / -031 / -054
Automann	1D28C-9158
Triangle	8318
Airtech	39158 CPP

Air Spring

Weight (Kg): 11,08 QIP: 30

Order No60030254

OEM References

Hendrickson	S6195 / NA1817
Navistar	1681738C1
Navistar	1681740C1
Neway	90557086 / 90557108
Neway	90557135 / 90557136

Cross References

Contitech	9 10-19 P 326
Firestone	1T15M-9
Firestone	W01-358-9192
Goodyear	1R12-167
Automann	1DK23L-9192
Triangle	8326
Airtech	39192 CPP

Air Spring

Weight (Kg): 7,03 QIP: 40

[illegible]



Your Road. Our Reliability.

Order No60030258

OEM References

Navistar	1681739C1 1672401C1
Neway	57009219
Volvo	35003-3201 / 35003-3203
Volvo	35003-3204 / 35003-3209

Cross References

Contitech	9 10-16 P 408
Firestone	1T15M-6
Firestone	W01-358-9219
Goodyear	1R12-182
Automann	1DK23K-9219
Triangle	8408
Airtech	39219 CPP

Weight (Kg): 6,87 QIP: 42

Order No60030259

OEM References

Hendrickson	448195-2
Neway	57009223
Reyco	12884-01

Cross References

Contitech	9 10-16 P 409
Firestone	1T15M-6
Firestone	W01-358-9223
Goodyear	1R12-188 / -903
Automann	1DK23K-9223
Triangle	8409

Weight (Kg): 9,43 QIP: 40

Order No60030260

OEM References




Neway	90557112
-------	----------

Cross References

Contitech	9 10-19 P 384
Firestone	1T15M-9
Firestone	W01-358-9243
Goodyear	1R12-480
Automann	1DK23L-9243
Triangle	8384
Airtech	39243 CPP

Weight (Kg): 6,46 QIP: 32

Order No 60020153	Air Spring	
OEM References	Cross References	
	Contitech Firestone Firestone Goodyear Automann Triangle Airtech	9 10-13.5 S 433 1T15VP-4 W01-358-9270 1R13-119 1DK231-9270 8433 39270 C
	Weight (Kg): 4,48 QIP: 45	





Your Road, Our Reliability.

Order No

60030266

OEM References

Neway90557121

Reyco710387-01

Cross References

Contitech9 9K-15 P 417

Firestone1T15LP-5

FirestoneW01-358-9295

Goodyear1R11-166

Automann1DK20F-9295

Triangle8417

Airtech39295 CPP

Air Spring

Weight (Kg): 5,23 QIP: 40

Order No

60030267

OEM References

Volvo8061151 / 8169868

Cross References

Contitech9 10-16 P 416

Firestone1T15M-6

FirestoneW01-358-9296

Goodyear1R12-400

Automann1DK23K-9296

Triangle8416

Airtech39296 CPP

Air Spring

Weight (Kg): 6,04 QIP: 36

Order No

60030268

OEM References

Hendrickson50898-1 / 50898-2

Hendrickson64651-2

Cross References

Contitech9 10-18.5 P 935

Firestone1T15M-8

FirestoneW01-358-9297


Goodyear1R12-402

Automann1DK23M-9297X

Air Spring


Weight (Kg): 7,76 QIP: 35

Air Spring




Weight (Kg): 5,88 QIP: 40

Air Spring



Weight (Kg): 4,63 QIP: 30

Air Spring



Weight (Kg): 9,34 QIP: 35



Your Road. Our Reliability.

Order No

60030272

OEM References

Hendrickson	B14249
Neway	57009321
Volvo	85101160
Dayton	352-9321

Cross References

Contitech	9 10-21 P 361
Firestone	1T15M-11
Firestone	W01-358-9321
Goodyear	1R12-335 / -256
Automann	1DK23N-9321
Triangle	8361

Air Spring

Order No

60030273

OEM References

Neway	90557160 / 90557225
Neway	90557210

Cross References

Contitech	9 10-12 P 488
Firestone	1T15M-2
Firestone	W01-358-9366
Goodyear	1R12-487
Automann	1DK23H-9366
Triangle	8488
Airtech	39366 CPP

Air Spring

Order No

60030274

OEM References

Hendrickson	B4375 / B14249 / 003319
-------------	-------------------------

Cross References

Contitech	9 10-21 P 505
Firestone	1T15M-11
Firestone	W01-358-9367
Goodyear	1R12-256
Automann	1DK23N-9367
Triangle	8505

Air Spring



Your Road. Our Reliability.

Order No

60030275

OEM References

Hendrickson

B4375 / B14249 / 003319

Cross References

Contitech

9 10-21 P 505

Firestone

1T15M-11

Firestone

W01-358-9367

Goodyear

1R12-256


Automann

1DK23N-9367

Triangle

8505

Air Spring



Weight (Kg): 10,25

QIP: 37

Order No

60030276

OEM References

Cross References

Contitech

9 10-21 P 448

Firestone

1T15M-11

Firestone

W01-358-9370

Goodyear

1R12-580

Automann

1DK23N-9370


Triangle

8448

Airtech

39370 CPP

Air Spring



Weight (Kg): 7,34

QIP: 32

Order No

60030277

OEM References

Navistar

1670073C-1 / 1686386C-1

Navistar

2027911C-1 / 1670043C1

Cross References

Contitech

9 10-18.5 P 521 (BK)

Firestone

1T15M-8

Firestone

W01-358-9371

Goodyear

1R12-401 / 1512-244


Triangle

8521

Airtech

39371 CPP

Air Spring



Weight (Kg): 6,94

QIP: 38



Your Road. Our Reliability.

Order No60030278

OEM References

Hendrickson57122-1 / 57122-2

NavistarFLT1R12403

Cross References

Contitech9 10-18.5 P 519

Contitech9 10.1-75 P 440

Firestone1T15MT-8

FirestoneW01-358-9373

Goodyear1R12-403 / 1S12-030

Triangle8519

Airtech39373 CPP

Weight (Kg): 7,66

QIP: 36

Order No60030279

OEM References

Hendrickson50899-1 / 50809-2

Cross References

Contitech9 10-18.5 P 451 (BK)

Firestone1T15M-8

FirestoneW01-358-9375

Goodyear1R12-404 / -488 / 1S12-030

Automann1DK23M-9375X

Triangle8451

Weight (Kg): 7,58

QIP: 28

Order No60030280

OEM References

HendricksonS103522

Cross References

Contitech9 10-19 P 358

Contitech9 10-19 P 383

Firestone1T15M-9

FirestoneW01-358-9394 / 9241

Goodyear1R12-142 / -261 / -278 / -279

Automann1DK23L-9394

Automann1DK23L-9241P

Triangle8358

Airtech39394 CPP

Weight (Kg): 7,02

QIP: 52



Your Road, Our Reliability.

Order No60030284

Air Spring

OEM References

Cross References

Contitech9 9-10 P 861 (BK)

Firestone1T15LA-0

FirestoneW01-358-9541

Automann1DK20H-9541X

Weight (Kg): 5,02 **QIP:** 60

Order No60030285

Air Spring

OEM References

HendricksonS20127

Dayton352-9580

Cross References

Contitech10 10-21 P 434

Firestone1T15VLT-10.5

FirestoneW01-358-9580

Goodyear1R13-118

Automann1DK25C-9580

Triangle8434

Weight (Kg): 7,19 **QIP:** 32

Order No60030286

Air Spring

OEM References

HendricksonS20127

Dayton352-9580

Cross References

Contitech10 10-21 P 434

Firestone1T15VLT-10.5


FirestoneW01-358-9580

Goodyear1R13-118

Automann1DK25C-9580

Triangle8434

Weight (Kg): 11,42 **QIP:** 32

Order No	60030289	Air Spring															
OEM References	<table><tr><td>Cross References</td><td></td></tr><tr><td>Contitech</td><td>9 9-9 P 537</td></tr><tr><td>Firestone</td><td>1T15LA-(-1) / 1T15KW-(-1)</td></tr><tr><td>Firestone</td><td>W01-358-9622</td></tr><tr><td>Goodyear</td><td>1R11-221</td></tr><tr><td>Triangle</td><td>8537</td></tr><tr><td>Airtech</td><td>39622 CPP</td></tr></table>			Cross References		Contitech	9 9-9 P 537	Firestone	1T15LA-(-1) / 1T15KW-(-1)	Firestone	W01-358-9622	Goodyear	1R11-221	Triangle	8537	Airtech	39622 CPP
Cross References																	
Contitech	9 9-9 P 537																
Firestone	1T15LA-(-1) / 1T15KW-(-1)																
Firestone	W01-358-9622																
Goodyear	1R11-221																
Triangle	8537																
Airtech	39622 CPP																
	 Side view dimensions: 1.77, 3.00, 2.80, 2.80 Top view dimensions: Ø8.98, 1.51, 1.97, 6.77, 2.25, 1.5616" - 12 UNF Bottom view dimensions: 1/2" - 13UNC, Ø8.20																
	Weight (Kg): 9,88 QIP: 75																



Your Road, Our Reliability.

Order No

60030290

OEM References

Hendrickson

S23720

Cross References

Contitech

9 9-16 P 568

Firestone

1T15L-6

Firestone

W01-358-9626

Automann

1DK20J-9626

Triangle

8568

Air Spring

Weight (Kg): 6,03 QIP: 42

Order No

60030291

OEM References

Hendrickson

S20223

Cross References

Contitech

9 10-12 A 427

Firestone

1T15MT-3

Firestone

W01-358-9640

Goodyear

1R12-367

Automann

1DK23H-9640

Triangle

8427

Air Spring

Weight (Kg): 10,04 QIP: 40

Order No

60030292

OEM References

Navistar

2027911C1 / 2027911C2

Navistar

2027911C3

Cross References

Contitech

9 10-18.5 P 456 (BK)

Firestone

1T15MT-8

Firestone

W01-358-9648

Goodyear

1R12-398 / -538

Automann

1DK23M-9648

Triangle

8456

Airtech

39648 CPP

Air Spring

Weight (Kg): 6,66 QIP: 36

Order No	60030295	Air Spring	
OEM References		Cross References	
Freightliner	16-15595-000 / 16-14004-000	Contitech	9 10 S-16 P 382
Freightliner	16-13840-000 / A16-14004-000	Firestone	1T15ZR-6
Freightliner	681-320-0017 / 16-13810-000	Firestone	W01-358-9780
Freightliner	16-16773-000	Goodyear	1R12-186 / -189 / -303 / -603
Navistar	FLT1R12303	Automann	1DF23-9780
Volvo	85101151	Triangle	8382P
		Airtech	32303 CPP
		Technical drawing of an air spring. The side view shows a cylindrical body with a top flange and a bottom flange. The top flange has two mounting points with dimensions 34.5 and 34.5. The bottom flange has a central mounting point with a dimension of 19.62. The overall height is 6.63. The top view shows a circular flange with a diameter of Ø8.98 and a central hole with a diameter of Ø6.20. The bottom view shows a circular flange with a diameter of Ø10.66 and a central hole with a diameter of Ø6.20. The side view also shows a central hole with a diameter of Ø6.20 and a distance of 4.84 from the center to the edge. The top view shows a central hole with a diameter of Ø6.20 and a distance of 4.84 from the center to the edge. The bottom view shows a central hole with a diameter of Ø6.20 and a distance of 4.84 from the center to the edge.	
		Weight (Kg): 5.58 QIP: 32	

Order No

60030296

OEM References

Freightliner 16-15595-000 / 16-14004-000

Freightliner 16-13840-000 / A16-14004-000

Freightliner 6811-320-0017 / 16-13810-000

Freightliner 16-16773-000

Navistar FLT1R12303

Volvo 85101152

Cross References

Contitech 9 10S-16 P 382

Firestone 1T15ZR-6

Firestone W01-358-9780

Goodyear 1R12-186 / 1R12-189

Goodyear 1R12-303 / 1R12-603

Automann 1DF23-9780

Triangle 8382P

Airtech 32303 CPP

Air Spring

Technical drawing of Air Spring 60030296. The side view shows a height of 6.33 and a base width of 2.00. The top view shows a diameter of Ø8.98, a central hole of Ø6.20, and mounting holes with dimensions 1/2"-13UNC, 3/4"-16UNF, and 1/4"-18NPT. A distance of 4.84 is indicated between the mounting holes.

Weight (Kg): 5,42 QIP: 36

Order No

60030297

OEM References

Freightliner 16-15595-000

Freightliner 16-14004-000

Freightliner 16-13840-000

Freightliner 16-16773-000

Freightliner A16-14004-000

Freightliner 681-320-0017

Freightliner 16-13810-000

Freightliner 16-19465-000

Freightliner 16-19466-000

Freightliner 16-14004-001

Volvo 85101151

Cross References

Contitech 9 10S-16 A 382

Firestone C01-358-0583

Firestone W01-358-9781

Goodyear 1R12-603

Goodyear 566243108

Air Spring

Technical drawing of Air Spring 60030297. The side view shows a height of 6.49. The top view shows a diameter of Ø8.98, a central hole of Ø6.20, and mounting holes with dimensions 1/2"-12UNC, 3/4"-16UNF, and 1/4"-18NPT. A distance of 2.43 is indicated between the mounting holes.

Weight (Kg): 6,66 QIP: 36

Order No

60020154

OEM References

Freightliner 16-15595-000

Freightliner 16-14004-000

Freightliner 16-13840-000

Freightliner 16-16773-000

Freightliner A16-14004-000

Freightliner 681-320-0017

Freightliner 16-13810-000

Freightliner 16-19465-000

Freightliner 16-19466-000

Freightliner 16-14004-001

Volvo 85101151

Cross References

Contitech 9 10S-16 P 382

Firestone C01-358-0583

Firestone W01-358-9781(Without Piston)

Goodyear 1R12-603

Goodyear 566243108(Without Piston)

Air Spring

Technical drawing of Air Spring 60020154. The side view shows a height of 16.92 and a base diameter of Ø5.94. The top view shows a diameter of Ø8.98, a central hole of Ø6.20, and mounting holes with dimensions 1/2"-13UNC, 3/4"-16UNF, and 1/4"-18NPT. A distance of 3.48 is indicated between the mounting holes.

Weight (Kg): 3,48 QIP: 72



Your Road. Our Reliability.

Order No60030298

OEM References

Renault	85101151
IVECO	16-15595-000
IVECO	16-14004-000
IVECO	16-13840-000
IVECO	16-16773-000
IVECO	A16-14004-000
IVECO	681-320-0017
IVECO	16-13810-000
IVECO	16-19465-000
IVECO	16-19466-000

Cross References

Contitech	9 10S-16 S 382
Firestone	C01-358-0583
Firestone	W01-358-9782

Air Spring

Weight (Kg): 5,27 QIP: 36

Order No60030299

OEM References

Neway	90557372 / 50857000
Neway	90557363

Cross References

Contitech	9 10-13.5 P 874
Firestone	W01-358-9807
Automann	1DK23I-9807
Triangle	8874

Air Spring

Weight (Kg): 4,64 QIP: 40

Order No60030301

OEM References

Navistar	3541731C1
----------	-----------

Cross References

Contitech	9 10B-19.5 P 889 (BK)
Firestone	W01-358-9875
Goodyear	1R12-432
Automann	1DK23R-1731

Air Spring

Weight (Kg): 10,02 QIP: 28

Order No	60030307	Air Spring	
OEM References		Cross References	
Reyco	20124-02 (1/2 NPT)	Contitech	9 10-17.5 P 731
Reyco	20124-01	Firestone	1T15M-6
Reyco	20124-01K (1/4NPT)	Firestone	W01-358-9966
		Automann	1DK23P-9966
		Weight (Kg): 6,83	
		QIP: 28	

[illegible]



Your Road, Our Reliability.

Order No60040124

Air Spring

OEM References

SAF HOLLAND90557226

Watson & ChalinAS-0149-1G

Cross References

ContitechFS 330-11 474

Firestone19

FirestoneW01-358-7008

Goodyear1B12-313

Goodyear578912313

Weight (Kg): 4,28

QIP: 128

Order No60040125

Air Spring

OEM References

Cross References

FirestoneW21-760-0335

Weight (Kg): 2,48

QIP: 60

Order No60040126

Air Spring

OEM References

Cross References

Firestone228-1,5

FirestoneW01-358-6080

Weight (Kg): 5,92

QIP: 36



Your Road, Our Reliability.

Order No

60040127


Air Spring

OEM References

Cross References

Firestone

A01-760-6397



Weight (Kg): 3,04

QIP: 60

Order No

60040128


Air Spring

OEM References

Cross References

Firestone

A01-760-6401



Weight (Kg): 1,92

QIP: 60

Order No

60040129


Air Spring

OEM References

Cross References

Firestone

W21-760-6781



Weight (Kg): 3,05

QIP: 60



Your Road, Our Reliability.

Order No

60040130

Air Spring

OEM References

Cross References

Firestone

W01-358-6784

Weight (Kg): 1,54

QIP: 234

Order No

60040131

Air Spring

OEM References

Ridewell

1003586805C

Cross References

Contitech

FD 530-30 532

Firestone

21-2

Firestone

W01-358-6805

Goodyear

2B14-462

Weight (Kg): 8,47

QIP: 54

Order No

60040132

Air Spring

OEM References

Navistar

2B9-490

Watson & Chalin

AS0058

Watson & Chalin

AS0058S

Ridewell

1003586897C

Cross References

Contitech

FD 200-19 505

Firestone

W01-358-6897

Goodyear

556238225

Goodyear

2B9-229

Automann

SP2B12R-6897


Triangle

4505

Weight (Kg): 2,86

QIP: 72


[illegible]

Order No	60040136	Air Spring	
OEM References		Cross References	
Hendrickson	S-8768	Contitech	FD 200-19 320
Navistar	554783C1	Firestone	20CT
Dayton	354-6910	Firestone	W01-358-6910
Granning	2726	Goodyear	2B9-200
Granning	1371	Goodyear	578923202
		Automann	SP2812R-6910
		Triangle	AS-4320
		Airtech	2B-220 / 113017
		 Technical drawing of the air spring showing side and top views with dimensions. The side view shows a height of 7.87 and a top width of Ø8.88. The top view shows a circular shape with a diameter of Ø6.30 and a central hole of Ø3.51. The bottom view shows a similar circular shape with a diameter of Ø6.30 and a central hole of Ø3.51. The drawing also indicates a G1/4"-18NPT fitting and 2x3/8"-16UNC bolts.	
		Weight (Kg): 3.03 OIP: 18	

Order No 60040137		Air Spring	
OEM References		Cross References	
Navistar	1685176C1	Contitech	FD 200-25 453
SAF HOLLAND	57006927	Firestone	20-02
Reyco	12906-01	Firestone	W01-358-6927
Reyco	12906-02	Goodyear	2B9-218
		Automann	SP2B12RA-6927
		Triangle	4453

Technical drawing of an air spring. The side view shows a height of 3.12 and a top width of Ø8.66. The top view shows a circular shape with a diameter of Ø6.30 and a central hole with a diameter of 3/4"-16UNF 1/4"-18NPT. The bottom view shows a circular shape with a diameter of Ø6.30 and a central hole with a diameter of 2x3/8"-16UNC.

Weight (Ka): 3.35 OIP: 75

Order No	60040138	Air Spring	
OEM References		Cross References	
SAF HOLLAND	57006941	Contitech	FD 200-19 448
Granning	7631	Firestone	20
		Firestone	W01-358-6941
		Goodyear	2B9-265
		 Technical drawing of the air spring showing side and top views with dimensions. Side View Dimensions: - Overall Width: Ø8.50 - Overall Height: 8.26 - Top Mounting Hole Diameter: Ø6.29 - Top Mounting Hole Thread: 3/4"-16UNF 1/4"-18NPT - Bottom Mounting Hole Diameter: Ø6.29 - Bottom Mounting Hole Thread: 2x1/2"-13UNC - Internal Width: 3.37 - Internal Height: 3.50	
		Weight (Kg): 3.64 QIP: 72	

Order No	60040141	Air Spring	
OEM References		Cross References	
Hendrickson	S-13034	Contitech	FD 530-22 311
Navistar	554800C1	Firestone	21D
SAF HOLLAND	90557001	Firestone	W01-358-7135
Volvo	3130501	Goodyear	2B14-360
Dayton	354-7135	Goodyear	578923350
Ridewell	1003587135C	Triangle	AS-4311
		Airtech	2B-355
		Airtech	113454
		Technical drawing of the air spring showing side and top views with dimensions: - Side View Dimensions: - Overall Width: $\varnothing 14.50$ - Overall Height: 3.12 - Mounting Flange Thickness: 1.12 - Top View Dimensions: - Overall Diameter: $\varnothing 11.27$ - Inner Circle Diameter: 6.26 - Mounting Hole Diameter: $1/4" \times 18NPT$ - Mounting Hole Spacing: $4 \times 1/2" \times 13UNC$	
		Weight (Kg): 7.05 OIP: 42	



Your Road. Our Reliability.

Order No60040142

OEM References

Hendrickson	S-1080
Navistar	5547998C1
SAF HOLLAND	57007136
Volvo	3130489
Watson & Chalin	AS-0004
Dayton	354-7136
Granning	1626

Cross References

Firestone	21D
Firestone	W01-358-7136
Goodyear	2B14-356
Goodyear	578923353
Automann	SP2B34R-7136
Triangle	AS-4321

Air Spring

Weight (Kg): 7,98 QIP: 60

Order No60040143

OEM References

Hendrickson	S-3184
Navistar	554799C1
SAF HOLLAND	57007140 90557257
Watson & Chalin	AS-0008
Dayton	354-7140
Granning	1015
Ridewell	1003587140C

Cross References

Contitech	FD 530-22 316
Firestone	21D
Firestone	W01-358-7140
Goodyear	2B14-359
Triangle	4316
Airtech	2B-355
Airtech	113464

Air Spring

Weight (Kg): 8,34 QIP: 36

Order No60040144

OEM References

Navistar	1685179C1
SAF HOLLAND	57007180
Ridewell	1003587180C

Cross References

Contitech	FD 330-22 363
Firestone	22
Firestone	W01-358-7180
Goodyear	2B12-425
Goodyear	578923309
Automann	SP2BB22R-7180
Triangle	AS-4363

Air Spring

Weight (Kg): 4,55 QIP: 88



Your Road, Our Reliability.

Order No

60040145

OEM References

Navistar1685179CI

SAF HOLLAND570-07-180

Cross References

ContitechFD 330-22 780

FirestoneW01-358-7184

Goodyear2B12-429

Goodyear578923309

Airtech2B-301 / 113490

Air Spring

Weight (Kg): 4,96

QIP: 60

Order No

60040146

OEM References

Cross References

ContitechFD 530-22 CI / 61362

FirestoneW01-358-7208

Airtech2B-355 HYD / 113461

Air Spring

Weight (Kg): 8,04

QIP: 50

Order No

60040147

OEM References

WewelerUS 07880F

Cross References

ContitechFD 530-22 CI / 66512

FirestoneW01-358-7224

Airtech2B-355 HYD / 113452

Air Spring

Weight (Kg): 8,04

QIP: 50

Weight (Kg): 5,86 **QIP:** 60



Your Road, Our Reliability.

Order No60040151

Air Spring

OEM References

Hendrickson	S-13043
SAF HOLLAND	90557014
Volvo	3130504
Watson & Chalin	AS-0009
Dayton	354-7424
Ridewell	1003587424C

Cross References

Contitech	FD 330-22 327
Firestone	22
Firestone	W01-358-7424
Goodyear	2B12-300

Weight (Kg): 6,24

QIP: 36

Order No60040152

Air Spring

OEM References

Hendrickson	S-13035
SAF HOLLAND	57007443
Watson & Chalin	AS-0027
Dayton	354-7443
Granning	1218
Granning	1589
Ridewell	S2683C

Cross References

Contitech	FD 330-30 323
Firestone	22C-1.5
Firestone	W01-358-7443
Goodyear	2B12-305
Goodyear	578923310
Triangle	AS-4323
Airtech	2B-320 / 113493

Weight (Kg): 4,96

QIP: 60

Order No60040153

Air Spring

OEM References

Hendrickson	S-12514-00
Hendrickson	B-12335
Navistar	1681751C1
SAF HOLLAND	57007472
Watson & Chalin	AS-0112

Cross References

Contitech	FD 330-30 371
Firestone	22-1,5
Firestone	W01-358-7472
Goodyear	2B12-434
Goodyear	578923310
Automann	SP2B22RA-7472

Weight (Kg): 5,05

QIP: 36

[illegible]



Your Road, Our Reliability.

Order No

60040157

Air Spring

OEM References

Cross References

Contitech

FD 530-35 544

Firestone

233-2

Firestone

W01-358-7782

Goodyear


2B14-470

Goodyear

578923356

Automann

SP2B34RC-7782



Weight (Kg): 10,86

QIP: 50

Order No

60040158

Air Spring

OEM References


Cross References

Firestone

233-2

Firestone

W01-358-7784



Weight (Kg): 6,78

QIP: 60

Order No

60040159

Air Spring

OEM References

Hendrickson

B-1448

Hendrickson

3317

Watson & Chalin

AS-0146-1G

Cross References

Contitech

FD 200-19 713

Firestone

20F

Firestone

W01-358-7795

Goodyear


2B10-226

Goodyear

578923250

Triangle

AS-4713



Weight (Kg): 3,52

QIP: 80



Your Road. Our Reliability.

Order No

60040160

OEM References

Hendrickson002878

HendricksonS-23114

Cross References

ContitechFD 200-23A 709

Firestone20F-1

FirestoneW01-358-7897

AutomannSP2B12RB-7897

Triangle4524

Air Spring

Weight (Kg): 3,53

QIP: 100

Order No

60040161

OEM References

Cross References

ContitechFT 330-29 503

Goodyear3B12-304

Goodyear578933100

AutomannSP3B22R-C503

TriangleAS-4503

Air Spring

Weight (Kg): 6,53

QIP: 72

Order No

60040162

OEM References

Watson & ChalinAS-0048-1F

Cross References

ContitechFT 330-29 547

Firestone38

FirestoneW01-358-7995

Goodyear3B12-315

Goodyear578933100

AutomannSP3B22R-7995

TriangleAS-4547

Airtech3B-310 / 115016

Air Spring

Weight (Kg): 6,84

QIP: 36



Your Road, Our Reliability.

Order No60040163

Air Spring

OEM References

Cross References

Contitech	FT 330-29 723
Firestone	38
Firestone	W01-358-7996
Goodyear	3B12-335
Goodyear	578933100
Automann	SP3B22R-7996
Triangle	AS-4723
Airtech	3B-310 / 115037

Weight (Kg): 8,19

QIP: 40

Order No60040164

Air Spring

OEM References

Hendrickson	S-11637
SAF HOLLAND	57008008
Dayton	354-8008
Granning	6392
Ridewell	1003588008C

Cross References

Contitech	FT 330-29 431
Firestone	38
Firestone	W01-358-8008
Goodyear	3B12-300
Goodyear	578933100
Automann	SP3B22R-8008
Triangle	AS-4431

Weight (Kg): 7,12

QIP: 36

Order No60040165

Air Spring

OEM References

Watson & Chalin	AS-0075
Reyco	93AR
Granning	6393
Ridewell	1003588018C

Cross References

Contitech	FT 330-29 434
Firestone	38
Firestone	W01-358-8018
Goodyear	3B12-303
Goodyear	578933100
Triangle	AS-4434

Weight (Kg): 6,68

QIP: 36



CONVOLUTED

germec

Your Road, Our Reliability.



Your Road, Our Reliability.

Order No

60040001

Air Spring

OEM References

Weweler	U506910F
ROR	2122 1395
ROR	2122 2663
Hendrickson	NA 1827
Hendrickson	206797
Granning	1371
Granning	15603

Cross References

Contitech	FD 200-19 1/4 M10
Phoenix	SP 2 B 12 R
Firestone	W01-M58-6887
Firestone	W01 -M58-6910
Vibracoustic	VSP2B12R
Gart	T291/2
Gart	291.2.200
Airtech	2B-220 / 113001

Weight (Kg): 2,92

QIP: 120

Order No

60040002

Air Spring

OEM References

Cross References

Phoenix	2B 12R-8
Airtech	42B-220 / 113549

Weight (Kg): 2,92

QIP: 120

Order No

60040003

Air Spring

OEM References

Hendrickson	H5507907/P
-------------	------------

Cross References

Phoenix	SP 2B 12R-12
Airtech	2B-215 / 113015

Weight (Kg): 3,36

QIP: 60

Weight (Kg): 2,94 **QIP: 120**

Weight (Kg): 2,88 **QIP: 105**

Weight (Kg): 3,42 **QIP:** 105



Your Road, Our Reliability.

Order No 60040007



Air Spring

OEM References

Suspentech	ST852
Randon	2121002778

Cross References

Firestone	20 T3 095.0353
Goodyear	556 2 2 8520
Airtech	2B-220 / 113475



Weight (Kg): 2,96 QIP: 100

Order No 60040008



Air Spring

OEM References

SAF	4.229.1004.00
Scania	1319761
Scania	1387289
Scania	1723523
Granning	15599

Cross References

Contitech	FD 200-19 P04
Phoenix	SP 2 B 12 R-5
Firestone	20F
Firestone	W01 M58 7894
Goodyear	2B9-700
Goodyear	578-92-3-211
Vibracoustic	VSP2B12R-5
Gart	T291/2
Gart	291.2.203
Airtech	2B-220-3 / 113002



Weight (Kg): 2,94 QIP: 120

Order No 60040009



Air Spring

OEM References

Schmitz	16808
Weweler	US 0739 4F
ROR	21221356
Granning	15670

Cross References

Contitech	FD 200-19 G 1/4 M8
Firestone	20
Firestone	W01 M58 7679
Gart	291.2.200



Weight (Kg): 2,96 QIP: 100

[illegible]

Weight (Kg): 2,96 **QIP: 100**

Weight (Kg): 2,96 **QIP: 100**

Weight (Kg): 3,62 QIP: 60



Your Road, Our Reliability.

Order No 60040016		Air Spring	
OEM References		Cross References	
		Contitech	FD 200-19 3/4 M8
		Phoenix	SP 2B 12 R-1
		Vibracoustic	VSP2B12R-1
		Weight (Kg): 2,96 QIP: 100	

Order No 60040017		Air Spring	
OEM References		Cross References	
Volvo	0 365 431	Contitech	FD 200-19 S
Volvo	0 365 461	Phoenix	2 B 12 R
Volvo	6 882 797	Firestone	W01-095-0009
		Goodyear	2B9-8325
		Goodyear	556-03-8325
		Vibracoustic	V2B12R
		CF Gomma	20-86599
		Airtech	2B-220 / 114001
		Weight (Kg): 2,84 QIP: 100	

Order No 60040018		Air Spring	
OEM References		Cross References	
Fruehauf	F 48054	Contitech	FD 138-18
Fruehauf	M 80A04		
SAMRO	H2500188		
Granning	15803		
		Weight (Kg): 3,22 QIP: 60	



Your Road, Our Reliability.

Order No

60040025


Air Spring


OEM References


SAF	1319761
Scania	1387283
Granning	15710

Cross References

Firestone	W01 S05 7182
Airtech	2B-225 / 113011







Weight (Kg): 3,04

QIP: 100

Order No


60040026


Air Spring


OEM References

Cross References

Contitech	FD 200-25
Firestone	20C
Firestone	W01 M58 7679
Goodyear	2B 9-269
Goodyear	578-92-3-206
Gart	T291/2B
Gart	291.2.260
Airtech	2B-225 / 113010







Weight (Kg): 3,04

QIP: 100

Order No

60040027


Air Spring


OEM References


SAF	1318761
Scania	1387283

Cross References

Firestone	20-2
Firestone	W01 M58 6891
Airtech	2B-225 / 113038







Weight (Kg): 3,04

QIP: 100



Your Road, Our Reliability.

Order No

60040025

Air Spring

OEM References

SAF1319761

Scania1387283

Granning15710

Cross References

FirestoneW01 S05 7182

Airtech2B-225 / 113011

Weight (Kg): 3,04

QIP: 100

Order No

60040026

Air Spring

OEM References

Cross References

ContitechFD 200-25

Firestone20C

FirestoneW01 M58 7679

Goodyear2B 9-269

Goodyear578-92-3-206

GartT291/2B

Gart291.2.260

Airtech2B-225 / 113010

Weight (Kg): 3,04

QIP: 100

Order No

60040027

Air Spring

OEM References

SAF1318761

Scania1387283

Cross References

Firestone20-2

FirestoneW01 M58 6891

Airtech2B-225 / 113038

Weight (Kg): 3,04


QIP: 100

209




Your Road. Our Reliability.

Order No 60040028		Air Spring	
OEM References		Cross References	
SAF	4.229.1005.00	Contitech	FD 200-25 P02
SAF	4.229.1005.01	Phoenix	SP2B12R-A-3
SAF	1608	Goodyear	2B 9-701
		Goodyear	578-92-3-206
		Vibracoustic	VSP2B12RA-3
		CF Gomma	20L 207065
		Gart	T291/2B
		Gart	291.2.263
		Airtech	A2 220-30 / 113476




Weight (Kg): 3,23 QIP: 100

Order No 60040029		Air Spring	
OEM References		Cross References	
		Phoenix	SP2B12R-A-4
		Airtech	A2 220-30 / 113481



Weight (Kg): 3,04 QIP: 100

Order No 60040030		Air Spring	
OEM References		Cross References	
		Firestone	950.327
		Goodyear	556 2 2 8657
		Airtech	2B-225 / 113506



Weight (Kg): 3,44 QIP: 75

Order No

60040031

OEM References

Weweler

US 07394

ROR

21221356

Granning

15670

Cross References

Firestone

20-2 T3 095.0256

Goodyear

556 2 2 8656

Airtech

2B-225 / 113473

Air Spring

Weight (Kg): 3,64

QIP: 100

Order No

60040032

OEM References

Cross References

Goodyear

556 2 2 8406

Airtech

2B-225 / 113550

Air Spring

Weight (Kg): 3,28

QIP: 55

Order No

60040033

OEM References

Cross References

Firestone

257-1 095.0439

Goodyear

556 2 8342

Goodyear

556 2 2 8418

Airtech

2B-225 / 113508

Air Spring

Weight (Kg): 3,14

QIP: 55

Weight (Kg): 1,48 **QIP:** 40

Weight (Kg): 3,24 **QIP:** 50

Weight (Kg): 1,42 **QIP:** 40



Your Road. Our Reliability.

Order No

60040037

OEM References

SAMROH 250-0021

Granning15807

Cross References

Airtech2B-255 / 113100

Air Spring

Weight (Kg): 1,42

QIP: 40

Order No

60040038

OEM References

SAMROH 250-0021

Granning15807

Cross References

ContitechFD 210-22 1/2 M 10

FirestoneW01-R58-4058

Goodyear10" * 2 SP 1538

Airtech2B-255

Air Spring

Weight (Kg): 4,23

QIP: 50

Order No

60040039

OEM References

Cross References

Airtech2B-255 / 113103

Air Spring

Weight (Kg): 5,54

QIP: 48

Weight (Kg): 5,08 **QIP:** 30

Weight (Kg): 1,82 QIP: 48

Weight (Kg): 4,04 **QIP:** 40



Your Road. Our Reliability.

Order No

60040043

Air Spring

OEM References

Cross References

Weight (Kg): 5,72 QIP: 40

Order No

60040044

Air Spring

OEM References

Cross References

Weight (Kg): 5,68 QIP: 40

Order No

60040045

Air Spring

OEM References

Cross References

Firestone

W01 M58 6875

Vibracoustic

21226068

Weight (Kg): 5,68 QIP: 40



Your Road. Our Reliability.

Order No60040049

Air Spring

OEM References

Cross References

Weight (Kg): 4,89 QIP: 36

Order No60040050

Air Spring

OEM References

Cross References

ContitechFD 412-18 S

Airtech2B-300 / 114300

Weight (Kg): 1,96 QIP: 30

Order No60040051

Air Spring

OEM References

RenaultS45-S53

WewelerUSN 410011KD

WewelerUSN 510011KD

Gigant881202

Granning15813

Cross References

ContitechFD 412-18 1/2 M10

FirestoneW01 R58 4061

Goodyear2B12-2452

Goodyear578-92-3-2452

Blacktech2C 30 F01

Airtech2B-300 / 113300

Weight (Kg): 6,55 QIP: 36

[illegible]

Technical drawing of a 2xM22x1.5 flange. The drawing includes a side view and two front views. The side view shows a flange with a central bore of Ø300 and a total height of 200. The front views show the flange with a central bore of Ø232 and an outer diameter of Ø280. The flange has four mounting holes, each with a diameter of 4xM10x1.5. The flange is shown with a 2xM22x1.5 bolt and nut assembly. The drawing is labeled with dimensions: 200, Ø300, Ø280, Ø232, 4xM10x1.5, 2xM22x1.5, and 42.5.

Technical drawing of a square metal profile. The drawing shows a square frame with a decorative, wavy pattern on the outer edges. The dimensions are as follows:

- Top width: $\varnothing 219$
- Left height: 260
- Bottom width: $\varnothing 300$
- Weight (Kg): 3,03

Order No

60040055

Air Spring

OEM References


Cross References

Contitech

FT 412-32 S

Airtech

3B-300 HYD / 116003



Weight (Kg): 3,18 QIP: 30

Order No

60040056

Air Spring

OEM References

Granning

15818


Cross References

Contitech

950.327

Airtech

3B-300 HYD / 116001



Weight (Kg): 3,24 QIP: 30

Order No

60040057

Air Spring

OEM References


Cross References

Contitech

FT 412-32 S / 66338

Airtech

3B-300 / 115007



Weight (Kg): 7,85 QIP: 30

Order No

60040058


OEM References

Granning15832

Cross References

Airtech3B-400 Hyd / 115155

Air Spring



Order No


60040059

OEM References

Cross References

Airtech3B-400 HYD /115150

Air Spring




Order No

60040060

OEM References

Cross References

Air Spring





Your Road. Our Reliability.

Order No

60040061

Air Spring

OEM References

Weweler

USN 510018KD

Granning

15832


Cross References

Contitech

FT 614-36S / 68044

Airtech

3B-370 HYD / 115100



Weight (Kg): 12,2

QIP: 20

Order No

60040062


Air Spring

OEM References

Cross References

Airtech

2B-301 / 113307



Weight (Kg): 4,98

QIP: 40

Order No

60040063

Air Spring

OEM References

Cross References

Contitech


FD 330-22 G 1/4 - 60031

Firestone

W01 M58 6381

Airtech

2B-301 / 113308



Weight (Kg): 4,98

QIP: 60



Your Road, Our Reliability.

Order No

60040064

OEM References

SAF2.229.1001.00

HendricksonNA 1816

Granning15646

Cross References

Airtech2B-301 / 113312

Air Spring

Weight (Kg): 7,04

QIP: 40

Order No

60040065

OEM References

Scania1510249

Cross References

Airtech2B-301 / 113329

Air Spring

Weight (Kg): 7,04

QIP: 40

Order No

60040066

OEM References

Scania1503813-7317

Cross References

Airtech2B-301 / 113554

Air Spring

Weight (Kg): 6,94

QIP: 30

221

Weight (Kg): 6,68 **QIP:** 45

Weight (Kg): 4,88 **QIP:** 68

Weight (Kg): 2,02 **QIP:** 30

[illegible]

Technical drawings of the OIP-20 heat exchanger. The left drawing is a side view showing a rectangular unit with a width of Ø368 and a height of 281. It features a central horizontal section with four vertical tubes on each side, connected by a U-shaped tube at the bottom. The right side shows two top views. The top view is a circle with an outer diameter of Ø310 and an inner diameter of Ø282.5. It shows four mounting holes with a diameter of 4xØ10x1.5 Gg and a central hole with a diameter of Ø22x1.5 - G1/2. The bottom view is identical.

Technical drawing of a 4xM10x1.5 6g coil. The drawing includes a side view showing a rectangular coil with a height of 281 mm and a width of Ø368 mm. The top view shows a circular coil with an outer diameter of Ø310 mm and an inner diameter of Ø282.5 mm. The bottom view shows a circular coil with an outer diameter of Ø310 mm and an inner diameter of Ø282.5 mm. The drawing also indicates the mounting holes and the central hole dimensions.



Your Road. Our Reliability.


Order No

60040076

Air Spring

OEM References

Cross References



Weight (Kg): 7,62

QIP: 30

Order No

60040077

Air Spring

OEM References


Cross References

Contitech

FT 412-32S / 66338

Airtech

3B - 300HYD / 115012



Weight (Kg): 8,54

QIP: 30

Order No

60040078


Air Spring

OEM References

Cross References

Airtech

3B-300 Hyd /115011



Weight (Kg): 6,68

QIP: 40

Weight (Kg): 2,18 OIP: 40Weight (Kg): 5.24 OIP: 40

Weight (Kg): 5,74 QIP: 40

[illegible]

Order No	60040090	Air Spring
OEM References	Cross References	
Gigant 196071	Phoenix SP 2B 34R	
Granning 1218	Firestone 22.5x2	
	Airttech 2B-355 / 113450	

The technical drawing illustrates the dimensions of the air spring. The side view shows a height of 226 mm and a base diameter of Ø350 mm. Two circular top views are provided below it, both with an outer diameter of Ø286 mm and mounting hole diameters of 158.8 mm.

Weight (Kg): 6,64
 QIP: 48

Technical drawings of the 2000 Series 1000mm x 1000mm Round Air Filter. The left drawing is a side view showing a rectangular frame with a wavy internal filter media and four mounting tabs. Dimensions include a height of 226mm and a width of Ø350mm. The right drawing shows two top views of the circular filter. The top view has an outer diameter of Ø286mm and an inner diameter of 158.8mm. It features four mounting holes, each 4xM8x1.25 deep, and a central hole with a diameter of 9.1mm. The bottom view is identical.

Weight (Kg): 7.04 **OIP:** 30

Technical drawing of the 4xM12x1.5mm flange (Fig. 10). The drawing includes a side view on the left and two top views on the right. The side view shows a flange with a total height of 22.6 mm and an outer diameter of Ø350. The top views show a circular flange with an outer diameter of Ø286 and an inner diameter of Ø158.8. The flange has four mounting holes, each with a diameter of 4xM12x1.5 mm. The distance between the centers of the mounting holes is 158.8 mm. The thickness of the flange is 9.12 mm.

Weight (Kg): 6.62

QIP: 48

Order No

60040094

Air Spring

OEM References

Cross References

Contitech


FD 530-22 61362


Firestone

22.5x2

Airtech

2B-355 / 11346





Weight (Kg): 7,04

QIP: 30


Order No


60040095

Air Spring

OEM References

Cross References





Weight (Kg): 6,62

QIP: 48

Order No

60040096


Air Spring


OEM References

Cross References

Airtech

3B - 357 / 115039





Weight (Kg): 9,06

QIP: 25




Your Road, Our Reliability.

Order No60040100

Air Spring

OEM References

Cross References




Order No60040101

Air Spring

OEM References

Cross References

Firestone	21D
Firestone	W01 M58 7501
Goodyear	2B14-465
Goodyear	578-92-3-353



Order No60040102


Air Spring

OEM References

Cross References

SAMRO	2500012
Granning	15822

Contitech	FD 614-26
Airtech	2B-370 / 114350



Weight (Kg): 3,16 QIP: 30

[illegible]



Your Road, Our Reliability.

Order No

60040106

OEM References

Fruehauf

J40 108 M08 A05

Granning

15882

Cross References

Contitech

FD 614-26 / 66013


Firestone

14.5x2

Airtech

2B-370 / 113359

Air Spring



Weight (Kg): 9,08

QIP: 30

Order No

60040107

OEM References

Cardi

580553800

Viberti

128118102

Cross References


Contitech

FD 614-26 / 66013

Airtech

2B - 370/HYD / 113361

Air Spring



Weight (Kg): 5,46

QIP: 24

Order No

60040108

OEM References

Cross References


Contitech

FD 614-26 / 66013

Airtech

2B-370 HYD / 113350

Air Spring





Weight (Kg): 10,66


QIP: 20



Your Road, Our Reliability.


Order No 60040109		Air Spring	
OEM References		Cross References	
		Airtech 3B-310 HYD / 115015	
			
		Weight (Kg): 8,04 QIP: 24	


Order No 60040110		Air Spring	
OEM References		Cross References	
		CF Gomma 322 B.B. - 204413 Gart T 271/S - 271.3.298 Airtech 3B - 310HYD / 115028	
			
		Weight (Kg): 6,42 QIP: 27	


Order No 60040111		Air Spring	
OEM References		Cross References	
		Firestone W01-095-0274 Goodyear 578 3 3 8334 Airtech 3B - 310 / 115023	
			
		Weight (Kg): 8,28 QIP: 20	



Your Road, Our Reliability.

Order No 60040112		Air Spring	
OEM References		Cross References	
		Airtech	3B-305 HYD / 115021
			
		Weight (Kg): 8,34 QIP: 27	

Order No 60040113		Air Spring	
OEM References		Cross References	
Granning	15673	Firestone	W01 358 8017
		Airtech	3B - 310HYD / 115010
			
		Weight (Kg): 8,28 QIP: 32	

Order No 60040114		Air Spring	
OEM References		Cross References	
SAF	3.228.1002.01	Gart	T 271/S - 271.3.296
Granning	17017	Airtech	3B-310 HYD / 115008
			
		Weight (Kg): 8,04 QIP: 30	



Your Road, Our Reliability.

Order No60040115

OEM References

Cardi	580 53200
Granning	1704D

Cross References

Gart	T 271/S - 271.3.298/1
Airtech	3B-310 HYD / 115009

Air Spring

Weight (Kg): 8,04 QIP: 30

Order No60040116

OEM References

SAMRO	2500013
Granning	15831

Cross References

Airtech	2B-400 / 114400
---------	-----------------

Air Spring

Weight (Kg): 3,24 QIP: 30

Order No60040117

OEM References

SAF	3.228.1002.01
Granning	17017

Cross References

Airtech	2B - 400 / 113403
---------	-------------------

Air Spring

Weight (Kg): 9,42 QIP: 25



Your Road. Our Reliability.

Order No

60040118

OEM References

Granning

15830

Cross References

Airtech

28 - 400 / 113404

Air Spring

Weight (Kg): 9,78 QIP: 30

Order No

60040119

OEM References

Weweler

USN 5100 08DX

Granning

15829

Cross References

Airtech

28 - 400 / 113408

Air Spring

Weight (Kg): 9,74 QIP: 30

Order No

60040120

OEM References

Granning

15830

Cross References

Airtech

28 - 400 / 113409

Air Spring

Weight (Kg): 9,74 QIP: 30



Your Road, Our Reliability.

Order No

60040118

OEM References

Granning

15830

Cross References

Airtech

2B - 400 / 113404

Air Spring

Ø310

M22x1.5

4xM10x1.5

Ø282.5

Ø406

195

Ø310

4xM10x1.5

Ø282.5

Weight (Kg): 9,78

QIP: 30

Order No

60040119

OEM References

Weweler

USN 5100 08DX

Granning

15829

Cross References

Airtech

2B - 400 / 113408

Air Spring

Ø310

Rp 1/2"

4xM10x1.5

Ø282.5

195

Ø410

Ø310

4xM10x1.5

Ø282.5

Weight (Kg): 9,74

QIP: 30

Order No

60040120

OEM References

Granning

15830

Cross References

Airtech

2B - 400 / 113409

Air Spring

Ø310

Rp 1/2"

4xM10x1.5

Ø282.5

195

Ø406

Ø310

4xM10x1.5

Ø282.5

Weight (Kg): 9,74

QIP: 30

239



Your Road, Our Reliability.

Order No


60040121

Air Spring

OEM References

Cross References

Airtech 2B - 400-HYD / 113401



Weight (Kg): 10,66 QIP: 30


Order No

60040122

Air Spring

OEM References

Cross References



Weight (Kg): 8,04 QIP: 30

Order No


60040123

Air Spring

OEM References

Cross References

Airtech 3B-305 HYD / 115021



Weight (Kg): 8,28 QIP: 30



CABIN

germec

Your Road, Our Reliability.



Your Road. Our Reliability.

Order No60051001

OEM References
MAN81.41722.6048 / 81.41722.6051

Cross References
Airkraft203001K
Sachs105855
GoodYear1SA-A5 017

Front

Air Spring
Weight (Kg): 1,00 • QIP: 56

Order No60051002

OEM References
MAN81.41722.6049 / 81.41722.6052

Cross References
Airkraft204001K
Sachs105856
PhoenixCD 075 120 011

Rear

Air Spring
Weight (Kg): 1,00 • QIP: 56

Order No60051003

OEM References
MERCEDES942 890 29 19 /
A 942 890 29 19

Cross References
Airkraft205001K
Sachs105392

Front

Air Spring
Weight (Kg): 1,00 • QIP: 56

[illegible]

[illegible]

Weight (Kg): 1.05 QIP: 36

Weight (Kg): 1,10 **PIP:** 30


Technical drawing of the rear view of the lamp housing. The drawing shows a cross-section of the housing with a central mounting point. Dimensions are indicated: a top diameter of $\varnothing 13$, a total height of 240, a base diameter of $\varnothing 45$, and a small angled protrusion at the bottom right with a diameter of $\varnothing 6$.


Weight (Kg): 0,92 • QIP: 56


[illegible]

Weight (Kg): 2,00 QIP: 56Weight (Kg): 0,95 • ZIP: 56

Weight (Kg): 1,05 **QIP: 36**

Order No 60051019		Air Spring	
OEM References		Cross References	
		Airkraft	2014B003
			
		Weight (Kg): 1,15 • QIP: 56	

Order No 60051020		Air Spring	
OEM References		Cross References	
SCANIA	1363120	Airkraft	128003K
SCANIA	1397386	Sachs	312465 / 290897
			
		Weight (Kg): 0,90 • QIP: 36	

Order No 60051021		Air Spring	
OEM References		Cross References	
IVECO	5040 60233	Airkraft	128015K
			
		Weight (Kg): 0,96 • QIP: 36	



Your Road, Our Reliability.

Order No

60051022

OEM References


MERCEDES

A 942 890 49 19

Cross References

Airkraft

209001K



Front

Weight (Kg): 0,64

QIP: 56

Order No

60051023

OEM References

VOLVO

20534645


Cross References

Airkraft

126045

Contitech

SZ130-25 P04



LIFT-AXLE

Weight (Kg): 2,35

QIP: 8

Order No

60051024

OEM References


VOLVO

20534646

Cross References

Airkraft

126046



LIFT-AXLE

Weight (Kg): 2,35

QIP: 8

[illegible]



Your Road, Our Reliability.

Order No

60051028

OEM References

RENAULT 5010 266 845 A / 5010 313 619 A

Cross References

Airkraft 121054
Monroe CB0083

Front view of the air spring showing dimensions: height 115, top mounting M10x1, and bottom mounting M8x1.25.

Weight (Kg): 0,40

QIP: 84

Order No

60051029

OEM References

IVECO 410 19 150
IVECO 816 90 50

Cross References

Airkraft 121055
Monroe CB0077

Front view of the air spring showing dimensions: height 150, and top/bottom mounting M12x1.75.

Weight (Kg): 1,10

QIP: 30

Order No

60051032

OEM References

RENAULT 5.010.491.301

Cross References

Airkraft 121086
Contitech SK 86-10
Phoenix 2 C 91-10

Rear view of the air spring showing dimensions: height 275 and bottom mounting diameter Ø6.

Weight (Kg): 1,02

QIP: 20

[illegible]

[illegible]

Weight (Kg): 0,95 QIP: 56

Rear

Weight (Kg): 1,00 • ZIP: 56

Weight (Kg): 1,10 **QIP: 30**

Front

Weight (Kg): 0,51 QIP: 80

Front

Weight (Kg): 0,88 **ZIP:** 36

Front

Weight (Kg): 0,69 **QIP: 56**

[illegible]

[illegible]

This technical drawing shows a top-down view of a vehicle chassis. At the front, there is a large circular component, likely the engine or a flywheel, connected to a central shaft. This shaft passes through a transmission housing. The chassis is supported by a rear axle assembly, which includes a differential and two wheels. Various mechanical components, such as suspension arms and linkages, are shown connecting the chassis to the wheels. The drawing is a detailed line illustration, typical of engineering blueprints.

Order No

60062020

Air Spring

OEM References

VOLVO

3172984 / 1629719 / 1629724

Cross References


Airkraft

128020K

Monroe

CB0003

Front



Weight (Kg): 2,82

QIP: 28

Order No

60062021

Air Spring

OEM References

VOLVO

20427897 / 20721169

Cross References


Airkraft

128021K

Monroe

CB0006

Rear



Weight (Kg): 3,36

QIP: 28

Order No

60062022

Air Spring

OEM References

VOLVO

1075076/1075077

Cross References

Airkraft

128022K


Firestone

W02-M58-8038

Monroe

CB0002

Rear



Weight (Kg): 2,76

QIP: 28

Order No60062023


Air Spring

OEM References

Cross References

Airkraft128023K
MonroeCB0039 / CB0055

Front



Weight (Kg): 2,12 • QIP: 35

Order No60062024

Air Spring


OEM References

Cross References

VOLVO20453256 / 20889132-1

Airkraft128024K
MonroeCB0055 / CB0039

Front



Weight (Kg): 2,34 • QIP: 35

Order No60062025

Air Spring


OEM References

Cross References

IVECO5003 40706

Airkraft128014K

Rear



Weight (Kg): 2,80 • QIP: 28

A technical drawing of a lamp head (Lampenkopf) showing a cross-section view. The drawing illustrates the internal components, including a central vertical rod, a mounting bracket with two side arms, and a base with a threaded section at the bottom. The drawing is a black and white line drawing.

RearRear

Rear

[illegible]

This diagram shows the top view of the vehicle. It features a central engine compartment, a transmission, and a rear axle with two wheels. The vehicle is symmetrical in design.

[illegible]



Your Road. Our Reliability.

Order No

60073002

OEM References

C.O.B.O

2014118

Cross References


Airkraft

125121

Contitech

SZ 51-5

Air Spring



Weight (Kg): 0,35

QIP: 80

Order No

60073003

OEM References

RENAULT

5010313619A / 5010266845A

Cross References


Airkraft

121054

Contitech

SZ50-10

Air Spring



Weight (Kg): 0,35

QIP: 80

Front

Order No

60073005

OEM References

PILOT

HYA005

Cross References


Airkraft

125101

Contitech

SZ 51-7

Air Spring



Weight (Kg): 0,36

QIP: 80



Your Road, Our Reliability.

AIR SPRING CATALOUGE

BELLOWS-SERVICE-COMplete
IMPERIAL-CONVOLUTED-CABIN

Mahmut Ulubas

Coordinator

Central And Eastern Europe



+48 22 667 60 67



Al. Jerozolimskie 200A

02-486 Warszawa, Poland



mahmut@germec.eu

germec.eu






germec

Your Road, Our Reliability.

© Germec. All rights reserved. Specifications are subject to change without notice.

For more information or technical support:



info@germec.pl
+48 22 667 60 67

